

EMRI GREEN HEALTH SERVICES

Emergency management control centre,
DMS Campus, Teynampet,
Chennai – 600006, Telephones: 044 – 2888 8060

Invitation of bids for Procurement of Branding Stickers

TENDER REFERENCE	:	TNSHP/EMRI GHS/TN/SCM/04/2024-25 Dt: 29-09-2024 - Retender
DATE OF COMMENCEMENT OF SALE OF TENDER	:	29-09-2024 @ 10.00 AM
LAST DATE OF SALE OF TENDER DOCUMENT	:	19-10-2024 @ 10.00 AM
PRE-BID MEETING	:	05-10-2024 @ 11.00 AM
LAST DATE AND TIME FOR RECEIPT OF TENDER	:	19-10-2024 @ 11.00 AM
TIME AND DATE OF OPENING OF TENDER	:	19-10-2024 @ 11.30 AM
PLACE OF OPENDING OF TENDER	:	EMRI Green Health Services DMS Campus, Teynampet, Chennai – 600 006
ADDRESS FOR COMMUNICATION	:	EMRI Green Health Services DMS Campus, Teynampet, Chennai – 600 006
Cost of the Tender Document	:	Rs.1000/- (Rupees one thousand only, inclusive Taxes) for getting Tender document either on hand Or downloaded from our website www.emri.in

Bidding documents may be purchased by eligible interested bidders on submitting a written application to EMRI GHS paying a non – refundable fee by a Demand draft in favour of EMRI GHS payable at Chennai. The bidding document may be obtained from the office of EMRI GHS during office hours on all working days. The bidders who have down loaded the bid documents are solely responsible for looking these websites for any added / amendment issued in respect of the bid document.

Tender Guidelines

1. Definitions

PO– Purchase Order;

Contract – Terms informed in PO

EMD – Earnest Money Deposit

DD – Demand Draft

BG – Bank Guarantee

BC – Banker's Cheque

Purchaser – EMRI GHS, Tamil Nadu

Tenderer – Bidders who have submitted Valid Tender Document

Supplier – Successful Bidder (s), to whom, the tender quantity is distributed to

SBU – Strategic Business Unit

Sample – One piece manufactured / Supplied by the bidder

MANUFACTURER – Original Equipment Manufacturer

Bidder – MANUFACTURER or Authorised Trading partner such as dealers / distributors

2. PRICE SCHEDULE: Prices shall be quoted as mentioned in Annexure-1. Price will remain firm and fixed for all supply orders placed during the period of one year from the date of opening.

3. TERMS OF DELIVERY: The Tenderer shall be responsible to arrange safe delivery of goods, by rail/road at the delivery address given below. The rates quoted by the Tenderer should include all costs for free delivery to consignee's site i.e.

EMRI GREEN HEALTH SERVICES
DMS Campus, Teynampet,
Chennai – 600006.
Ph: 044 28888060

4. Eligibility Criteria: Primary Manufacturers or their authorized trading partners such as dealers / distributors can participate in the tender. Trading partners should have the Valid authorization letter from the MANUFACTURER

- a) Past performance of the bidder should be submitted.
- b) Bidder should not have been convicted for any criminal or economic offences by any court in India or abroad.
- c) Bidders shall have an average annual turnover of at least Rs.15 lakhs during the last three financial years for Branding Stickers
- d) The manufacturer or their dealer should not be blacklisted by state/central government departments/organization.

5. Submission of Tenders

The Bid should be in a sealed cover super-scribed "Tender for Supply of Branding Stickers" and clearly mention Tender number and date. The Super-scribed sealed cover shall consist of two sealed covers inside:

A. *Super scribed Sealed Cover A - Prequalification cover:*

- a. Tender Application form duly filled and signed by the authorized person
- b. Earnest Money Deposit, EMD
- c. IT returns and financial statements for last three years.
- d. GST registration certificate.
- e. Copy of PAN/TAN.
- f. Relevant manufacturing licenses.
- g. Customer feedback opinions.
- h. Valid Authorization letters from the OEMs (in case of trading partners) for Supply & Participation in Tender.
- i. Technical Specifications offered
- j. Tender fee. (Must, even though downloaded from our website)

B. *Super scribed Sealed Cover B: Containing Annexure wise Price Bid as per format Listed Below*

- Please mention clearly on each sealed cover the Annexure, meant for.
- The Bid should be dropped in the box provided for this purpose at EMRI GHS Emergency Management and Research Institute, Emergency management control centre, Campus of Directorate Medical services, Teynampet, Chennai 600 006.
- The Bid should be properly page numbered, signed and should have appropriate and relevant contents.
- Bid documents that do not provide complete information and / or that are submitted after the above specified time shall be rejected.
- Bidder should quote their prices in the scheduled format supplied in this tender form giving the breakup of prices. Tenders received in any other form will not be entertained. (Annexure 1)
- Bidder should sign the certificate provided in the tender form "that they have read and understood, all the Terms and Conditions stipulated for in the Tender, and are willing to abide by these tender terms and conditions", before submitting the tender document. Tenders submitted without the Signed declaration certificate will be considered incomplete and will not be considered.
- Bid received by the purchaser after the deadline will be summarily rejected by the purchaser.

Validity of the tender: The tenders quoted shall remain valid for a period of 12 months from the date of opening of tenders and it may be extended further as per the validation and requirement.

6. Opening of tenders:

The Tender TNSHP/EMRI GHS/TN/SCM/04/2024-25 Dt: 29-09-2024 will be opened on 19-10-2024, in the presence of the bidders or their authorized representatives and Tender Committee Members at the venue mentioned hereunder. Venue of Tender Opening: EMRI GHS, Emergency management control centre, Campus of Directorate Medical services, Teynampet, Chennai 600 006. The price bid cover will be opened after evaluation of „Technical Bid" and the date and time will be intimated to bidders whose bids are responsive and selected by the purchaser. The purchase will prepare the minutes of the bid opening.

7. EMD Amount:

Bidder should submit Rs 1,00,000 in form of only Demand Draft in favor of *EMRI Green Health Services* - payable at Chennai. The non-responsive / non-selected bidder, EMD will be returned back.

8. Performance Guaranty:

Successful L1 bidder has to furnish a PBG for 3% of annual contract value as per EMRI GHS TAMIL NADU standard PBG format within 15 working days from the date of intimation. The PBG shall be valid for one year. Failure to furnish PBG within stipulated time by the selected bidder will automatically result in forfeiture of EMD without further notice. However, if the bidders fail to execute the order or fails to perform the supply as per contract, in addition to other penal actions, the Bank Guarantee shall be encashed and the amount shall be forfeited.

9. Price:

- The price offered in the tender should be as per the structure requested in the Tender document Annexure-1
- All Quotes shall be in Indian Rupees and duly attested in case of any corrections.
- All freight costs & Transit insurance are to be borne by the bidder
- Original manufacturers and supplier can participate for any number of line items. In such instances, annexure wise allocation of Quantities will be ignored to encourage maximum participation of manufactures, giving cost effectiveness.
- In case of imports, all duties and any other costs (foreseen or unforeseen) have to be borne by the bidder and to be clearly indicated in the quote
- If more than one bidder has quoted exactly the same price in their bids, and if it has become the Lowest Bid (L1), the decision of the Tender Committee is final to equally distribute the schedule quantity among the L1 bidders.

10. Technical evaluation

- Technical evaluation of the items tendered will be done by a Tender Committee constituted by EMRI GHS
- Specifications for each of the items will be as detailed in the respective annexure
- Tenders submitted with technical specifications and commercial bid will alone be considered for evaluation.
- The commercial bids of suppliers who are successful in Technical Evaluation only would be considered.
- In case, if Technical Committee is not convinced with any of the specific items in any one annexure with respect to Quality parameters, then it is Committee's decision whether to opt for Item-wise (in the same annexure), Quality evaluation to qualify multiple bidders for the annexure
- The decision of the Committee formed by Purchaser would be final.

11. Samples for Inspection

- a. The products fulfilling technical specifications will be considered by the technical committee. The participating bidder should submit the copy of the all stickers for validation. The list of stickers should be as per the requirement of stickers as mentioned in the requirement and price bid.

12. Commercial Evaluation:

Commercial bids of the bidders who qualify the Technical Bids will be opened in the presence of Bidders / representatives and Tender Committee Members.

- a. If there is no bidder for a particular item, the Committee will go ahead with shopping model, where three quotations will be obtained and price negotiated with the lowest quoted vendor and purchase order will be released.

13. Quantity Division

Each Delivery Schedule of Requirement incorporate in the tender enquiry document will be ordered from Lowest Responsive Bidder (L1). However, it is purchaser's decision to assess the capacity of the L1 bidder to support the requirement. If L1 refuses to supply and in case of L1 bidder capacity is less than quantity required, the purchaser has the right to split the order quantity among the other bidders in the order of lowest to highest bidder as per the provisions of transparency in Tenders Act & Rules.

14. Authority for Signing Tender Documents

- A person signing the Tender Form or any document, forming part of the contract on behalf of the supplier, shall carry the authorization letter stating his / her authority to sign such documents from the respective organization
- Any Agent who is participating on behalf of a manufacturer shall have the Valid authorization letter from the manufacturer to sell the goods in the area where the tender is meant for, without which the bid will not be considered as valid

15. Responsibility for Performance of Contract

The Supplier shall be entirely responsible for the performance of the contract in all respects in accordance with the terms and conditions as specified in the Contract. The Supplier shall not sublet, subcontract, transfer or assign the contract.

16. Quality Inspection

- a. For every unit supplied by the supplier, the conformance to the Specifications mentioned in the Tender shall be established by the supplier.
- b. Supplier represents and warrants that it shall fully comply with all written quality assurance requirements or instructions of EMRI GHS, and as amended from time to time in the sole discretion of EMRI GHS. Supplier further represents and warrants that the Product supplied by Supplier in strict compliance with all applicable central, state and local laws.
- c. Supplier shall maintain the highest standard of quality in the Product production process. Supplier shall follow and abide by all directions, requests, suggestions or instructions of EMRI GHS regarding the quality standards required by EMRI GHS in connection with the manner of production, manufacture, Packaging, storage and delivery of the Product.
- d. Every unit supplied by the supplier as per the contract should carry a certificate indicating that the particular unit was subjected to quality check as per the documented procedure and that it was found conforming to the requirements. Such a certificate should be signed by the Quality Assurance Personnel of the Supplier / any inspection agency EMRI GHS prefers.
- e. The supplier shall facilitate in-process and / or Pre-delivery inspection by the Representatives of the Purchaser, as and when, the same is required by the Purchaser
- f. Notification by Supplier – In case of inspection at the Supplier's premises, notice in writing shall be sent by the Supplier, sufficiently in advance, to the Purchaser when the items to be supplied, are ready for inspection.
- g. Rejections – At delivery, EMRI GHS in its sole discretion may reject any Product produced or manufactured by Supplier for any reason, including, but not limited to defects, or failure to meet quality standards, etc.
- h. Removal of Rejections - Any supplies inspected and rejected at Purchaser's premises must be removed by the Supplier, within 7 days from date of receipt of intimation of

rejection of supplies in case of indigenous suppliers & 28 days in case of foreign suppliers. If the rejected goods have already been paid for (partly or fully), the supplier shall before removal of rejected goods, either deliver correct replacement goods at Purchaser's premises completely free of cost (including cost of goods, freight, taxes, duties etc) or refund the payment received as well as make full compensation for freight taxes, duties etc. Such rejected items shall lie at supplier's risk from the time of such rejections and if not removed within the above time limit, the Purchaser shall have the right to dispose of the said rejected materials as he may deem fit without any financial obligation to the supplier.

- i. Printing media sticker and lamination 120 Mic, Reflective - 80 to 90 Mic

17. Supplier Responsibility

- a. Under any circumstances, no supplier shall supply the goods, in which recycled materials are used / used-disposables to EMRI GHS. If EMRI GHS finds any such instance, it will lead to cancellation of PO and subsequent severe punitive (legal and financial) actions by EMRI GHS. However, all the consequential costs are to be borne by the Supplier to EMRI GHS.
- b. The supplier is responsible for the delivery of the goods in satisfactory condition and without any loss or damage at the final destination and until the same is actually received by the Purchaser at its works or other place of final destination. For this purpose, goods carried by the roadway or other carrier shall be deemed to be carried at the risk of the supplier. If on inspection at final destination the Purchaser discovers any discrepancy, the Purchaser will be entitled (not-with-standing that the property of goods shall have passed on to the company) to refuse acceptance of the goods altogether and claim damages and/or cancel the contract and buy its requirement in the open market at the risk and cost of the supplier, reserving always to itself, the right of forfeiture of any amount found due and payable or the deposit, if any, placed by the supplier for the due fulfilment of the contract as also to recover any amount, if already paid.
- c. The supplier shall responsible for any extension in the period of tender like validity, quantity for the same agreed price and terms.

18. Responsibility for proper packing, wherever required

- a. The Supplier shall be responsible for the items being sufficiently and properly packed, for transport by rail/road/sea/air/ or any combination of above, so as to ensure their being free from loss or damage on arrival at the destination.
- b. In case if a bidder has got successful for more than one item, the supply shall be packed in lots, as per the instructions of EMRI Tamil Nadu.
- c. Marking of Packages, packing: Each package delivered under the contract shall bear the

following: -

- Name of the Supplier
- PO Number
- Consignee's name and address
- Description and quantity of contents
- Gross weight, Net weight,
- Distinctive number or mark which is also to be shown, for the purpose of identification, on the Supplier's packing list.

19. Delivery

- a. Timely delivery is the essence of the contract & must be completed as per the dates specified therein.
- b. The Supplier shall deliver items in strict accordance with the delivery terms indicated in the Purchase Order issued to the successful bidder/s
- c. Notification of delivery or dispatch in regard to each and every consignment shall be made by the Supplier to the authorities named in the Contract.
- d. If there is shelf life attached to any of the items that are mentioned in the tender, the Supplier shall ensure the 75% of the shelf life to be left out with the goods at the time of delivery at the Purchaser's location. Otherwise, the Purchaser is liable to return to inward the consignment and the supplier to replace the consignment with stocks of healthy shelf life (>75%).

20. Failure and Termination

Should the Supplier fail to deliver the items or any consignment thereof, within the period prescribed for such delivery, the Purchaser shall be entitled at his/ her option, to the following:

a. Delayed Penalty:

Up to 7 Days from Delivery Due Date	0.25% Per Unit Per Day
From 8th day to 15 th Day	0.50% Per Unit Per Day
From 16th day to 22nd Day	0.75% Per Unit Per Day
From 23rd day to 30th Day	1.00% Per Unit Per Day
Above 30 Days	5.00% Per Unit Per Day

21. Risk Purchase:

If the Supplier fails to deliver the items either in full or in part, within the prescribed delivery period, the Purchaser shall be entitled at his option to take alternate procurement action, at the risk & cost of the supplier for the unsupplied portion of the goods / items without cancelling the contract in respect of the items not yet due for delivery, or to cancel the contract based on progress of work, including items not due for delivery, and, if thought fit/necessary, to purchase the items at the risk and cost of the Supplier. The price differential in case of higher cost to Purchaser, if any, shall have to be borne by the defaulting supplier. Moreover, the defaulting supplier shall have no claim over the quantity, which they failed to supply

22. Ethics

Any attempt by a tenderer to obtain confidential information, enter into unlawful agreements with competitors or influence the committee or the Contracting Authority during the process of examining, clarifying, evaluating and comparing tenders shall make the tender submitted by that tenderer liable for rejection.

23. Quantity of Delivered Items

- a. If the quantity received by the Target Delivery date is less than the PO Scheduled quantity, then the physical quantity received will be the quantity certified by the Purchaser.
- b. If the quantity received is more than the PO quantity, the excess quantity shall not be paid for, by the Purchaser.
- c. In case of any supply quantity with upper or lower tolerance of over 5%, EMRI GHS will have the right to accept or reject the material immediately.

24. Taxes, Duties and Levies

- a. Tenderers must clearly mention their GST In their offers and invoices.

- b. GST shall be clearly mentioned in the offer indicating the applicable rates.
- c. In case if there is a decrease in the GST, the same has to be passed to the Purchaser.
- d. Price should be as per the listed format in tender document, the qualified bidder should supply as per our required quantity. Partial sticker must to be supplied as per the price submitted by the qualified bidder

25. Guarantee

The supplier must take the entire responsibility to supply the Quality-oriented products to EMRI GHS. In case of distributors, the responsibility lies with the distributor to ensure the supply of right quality materials to EMRI GHS. At the time of supply itself, the supplier shall not supply the materials with seal-open condition.

26. Indemnity

The Supplier shall at all times indemnify the Purchaser against all claims which may be made in respect of the items, for infringement of any right protected by Patent, Registration of design or Trade Mark and shall take all risk of accidents or damage which may occur or failure of the supply arising. The Supplier shall be entirely responsible for the sufficiency of all the means used by them for the fulfilment of the contract.

Supplier shall agree to indemnify, defend and hold EMRI Green Health Service and its officers, directors, employees, agents, its parent, partially or wholly owned subsidiaries, franchisees, successors and assigns harmless from and against any and all liability, losses, damages, claims, liens, expenses or causes of action including, but not limited to reasonable legal fees and expenses that may be incurred by EMRI GREEN HEALTH SERVICES, arising directly or indirectly out of, or in connection with, Supplier's violation or breach of any of the terms of this Agreement or any act or omission to act by Supplier in violation of the Agreement. EMRI GREEN HEALTH SERVICES shall provide Supplier with prompt written notice of any claim for which indemnification is sought and shall have the right to participate in the defence of any such claim.

27. Warranties and Obligations:

- a. Supplier irrevocably offers warranty of the product against any manufacturing defects and contamination of material.
- b. Warranty period of each stickers is 2 Years. If found due to manufacturing defects, it should be replaced by the supplier. at free of cost
- c. Supplier represents and warrants that it will use its best efforts to produce and distribute the Product in accordance with the terms and conditions of this Agreement.
- d. Supplier shall be solely responsible for the production and distribution of the Product and will bear all related costs associated therewith, except as otherwise provided in this Agreement.
- e. Replacing the defective items should be done immediately within 5 working days.

28. Compliance of the Laws of the land

Supplier shall comply with all state and local laws and regulations regarding the Product manufacture and production, shall obtain all necessary licensing for the operation of its business and the production and manufacture of the Product, and shall further comply with all quality control standards promulgated by EMRI GREEN HEALTH SERVICES from time to time.

29. Documentation requirements

Supplier has to send the following documents along with the shipment.

- a. Invoice in original along with one additional copy, both duly signed and stamped by Supplier.
- b. Original Packing list.
- c. A copy of Purchase order raised by EMRI GHS, Chennai
- d. Certificate for the Quality assurance from the supplier / Agency.

30. Product Withdrawal

If it is deemed necessary at any time by either EMRI GHS or Supplier or any local, state, or central governmental agency or other authority to recall or withdraw the Product produced by Supplier and being supplied to EMRI GREEN HEALTH SERVICES, either as a result of failure of the Product or Supplier to strictly comply with EMRI GREEN HEALTH SERVICES's quality standards or any governmental health rule or regulation, or shall fail to comply with any other governmental authority or agency having jurisdiction, supplier shall bear all costs and expenses incurred by it and/or in complying with the recall or withdrawal procedures, unless (and only then to the extent) such recall or withdrawal is solely the result of the negligence or misuse by EMRI GHS.

If Supplier fails or refuses to promptly comply with the recall or withdrawal of the product upon request by the EMRI GHS or any federal, state or local authority, EMRI GHS shall take such action as it deems necessary to recall or withdraw the product from field (Ambulances in the field) and Supplier shall immediately reimburse for the costs and expenses incurred.

If the product supplied is not as per the specification on analysis of the samples by appropriate approved labs/authority then the rejected and available quantities have to be lifted back by the supplier. All cost and consequences of such rejected quantities shall be borne by the supplier.

Product Allocation and Stocking

In the event there is an emergency shortage of the product, as announced by Supplier or its designated representative, Supplier shall stand ready to stock adequate quantities of the Product so that scheduled supplies to EMRI GREEN HEALTH SERVICES, Chennai should not suffer for the full contract period. In an event of Supplier failing to supply the material in ordered quantities and as per time schedules, EMRI GHS, Chennai reserves the right to procure the product of same or superior quality at same or higher price from an alternate supply source and any difference in cost of procurement shall be debited to Supplier.

31. Trademarks

- a. Supplier shall not, without prior written consent of EMRI GHS use the trademarks or service marks or sales marks of EMRI GREEN HEALTH SERVICES in any manner whatsoever, unless, and then only to the extent, such use is authorized by EMRI GREEN HEALTH SERVICES in writing and then only in accordance with EMRI GREEN HEALTH SERVICES directions or specifications.

32. Intellectual Property, Proprietary Knowledge and Confidential Information (Excluding the information in the Public Domain)

- a. Supplier acknowledges that in connection with this Agreement, EMRI GHS may disclose to Supplier, or Supplier may otherwise obtain or develop knowledge of certain confidential and proprietary information of EMRI GHS, including, but not limited to, trade secrets, intellectual property, future business plans and services, financial, sales, Supplier, customer, employee, investor, or other business information related to the business and activities of EMRI GHS.
- b. All such information is hereby designated by EMRI GHS to be Confidential and Proprietary Information. Supplier acknowledges and agrees that Confidential and Proprietary Information shall not be disclosed by Supplier or any of Supplier's employees, representatives, agents or contractors without the express written permission of EMRI GHS. Notwithstanding the foregoing, Supplier, during the term of this Agreement, and in order to carry out its obligations under this Agreement may disclose Confidential and Proprietary Information to its EMPLOYEES solely for the purpose of performing its obligations under this Agreement, and only on a 'need to know' basis. Supplier agrees that all of its employees receiving any Confidential and
- c. Proprietary Information shall enter into a separate written confidentiality agreement with Supplier that ensures the employee will comply with the confidentiality provisions of this Agreement. A copy of each such confidentiality agreement shall be provided to EMRI GHS.

- d. All Confidential and Proprietary Information shall remain confidential until EMRI GHS designates it as non-confidential or until the information becomes public through no fault of the Supplier.
- e. Supplier shall not be liable for the disclosure of Confidential and Proprietary Information if made in response to a valid order of a court or authorized agency of government; provided that fifteen
- f. days' notice first be given to the EMRI GHS so a protective order, if appropriate, may be sought by EMRI GHS.
- g. Supplier agrees that in the event Supplier or any of its employees, contractors, representatives, or agents breach the provisions of this Article, such breach or threatened breach would cause irreparable harm to EMRI GHS, and in such instance, EMRI GHS shall be entitled to injunctive and other equitable relief to prevent such breach or to remedy any actual breach.

33. Termination

EMRI GHS's Right to Terminate for Cause.

- EMRI GHS, Chennai Tender Committee shall have the right to immediately terminate this Agreement by giving a written notice to Supplier in the event that Supplier does any of the following:
 1. Fails to continuously supply the Product for four consecutive weeks from the date of target delivery date.
 2. Files a petition in bankruptcy or is adjudicated bankrupt or insolvent, or makes an assignment for the benefit of creditors or an arrangement pursuant to any bankruptcy law, or Supplier discontinues its business or a receiver is appointed for Supplier or for Supplier's business and such receiver is not discharged within thirty (30) days;
 3. Fails to obtain or maintain product liability insurance in the amount and type provided for herein
 4. Breaches any provision of this Agreement, and fails to cure such breach within seven (7) days after it receives a written notice of breach from EMRI GHS.
 5. EMRI GHS' Tamil Nadu Tender committee has Right to Terminate without Cause. EMRI GHS shall have the right to terminate this Agreement by written notice to Supplier.
 6. Supplier shall have the right to terminate this Agreement at any time after the first 6 months of the Term on Sixty (60) days prior written notice to EMRI GHS.
 7. Upon receipt of the notice of termination from the Purchaser, the Supplier shall either immediately or upon the date specified in the notice of termination, cease all further supply except for such as the Purchaser may specify in the notice of termination. In the event of termination of the Contract the Purchaser shall only pay to the Supplier, the Price for the parts executed by the Supplier as of the date of termination.

34. Infringements

Supplier agrees to fully cooperate with EMRI GHS, Chennai in the prosecution of any such suit against a third party and shall execute all papers, testify on all matters, and otherwise cooperate in every way necessary and desirable for the prosecution of any such lawsuit.

Governing Law; Dispute Resolution

This Agreement shall be governed by, and construed in accordance with, the laws of the India; without regard to conflict of law principles, and under jurisdiction of Chennai and language shall be English.

Notice

Any notice required to be given pursuant to this Agreement shall be in writing and delivered personally or by a nationally recognized overnight courier service, or mailed by certified or registered mail, return receipt requested, to the other party at its address as set forth at the top of this Agreement.

All such notices shall be effective upon delivery or upon refusal to accept delivery.

Either party may change the address to which notice is to be sent by written notice to the other in accordance with the provisions of this paragraph.

Miscellaneous

The parties to this Agreement are independent contractors. Nothing contained herein shall constitute this arrangement to be employment, a joint venture, a partnership, a franchise or an agency between the parties. Neither party has the authority to bind the other or to incur any obligation on its behalf.

- a. If any term, clause or provision hereof is held invalid or unenforceable by a court of competent jurisdiction, such invalidity or unenforceability shall not affect the validity or operation of any other term, clause or provision, and such invalid or unenforceable term, clause or provision shall be deemed to be severed from the Agreement.
- b. This Agreement constitutes the entire understanding of the parties, and revokes and supersedes all prior agreements between the parties, and is intended as a final expression of their agreement. It shall not be modified or amended except in writing signed by the parties hereto and specifically referring to this Agreement.
- c. Bidders or employees of bidder cannot claim or construed as employees of EMRI GHS.

35. Force Majeure

If at any time during the validity of the Contract, the performance in whole or in part by either party of any obligation under this Contract shall be prevented or delayed by reasons of War, Hostility, Acts of Public Enemy, Civil Commotion(s), Sabotage, Fire(s), Flood(s), Explosion(s), Epidemic, Quarantine Restrictions, Acts of State or Acts of God, hereinafter referred to as eventualities, then the Contract period will get extended for the period of Force Majeure, provided Notice of the happenings of any such eventualities is given, supported by a certificate of appropriate authority or Chamber of Commerce by either party to the other within 15 days from the date of occurrence thereof. Neither party shall by reason of such eventualities be entitled to terminate this contract nor shall either party have any claim for damages against the other in respect of such non-performance or delay in performance. Work under this contract shall resume as soon as practicable after such eventualities have come to an end or ceased to exist. Should one or both parties be prevented from fulfilling their contractual obligations by state of Force Majeure lasting continuously for a period of at least three months, the parties shall consult each other regarding further continuation of the Contract.

36. Dispute Redressal Committee

All disputes can be addressed by amicable settlement by Tender committee – EMRI GHS, Tamil Nadu.

37. Declaration by the Tenderer

The Tenderer shall be required to declare whether the proprietor or any partner of the firm or Director of their company as the case may be, has any relation with any employee working with the Purchaser and if so, give the name of the employee and the relationship

38. Waiver

Failure to operate or to enforce any condition under this Contract shall not operate as a waiver of the condition itself or any subsequent breach thereof.

39. Liability of EMRI GHS:

It is expressly understood and agreed by both the supplier and EMRI GHS, Chennai that the though respective State Governments / Government of India are not a party to this Agreement and have no liabilities, obligations or rights hereunder, any delay in the release of supplier payments, for the supplies made under this tender, solely depend on timely receipt of funds for the same from the respective state governments. The SUPPLIER expressly agrees, acknowledges and understands that the EMRI GHS, Chennai is not responsible for any delays in the release of funds from respective state governments for what so ever reason it may be and shall not hold EMRI GHS, Chennai responsible for delayed payments and EMRI GHS, Chennai shall not be liable for any acts, omissions, commissions, breaches or other wrongs arising out of the contract. Accordingly, the SUPPLIER hereby, expressly waives, releases and

foregoes any and all actions or claims, including cross claims, impleader claims or counter claims against the EMRI GHS, Chennai arising out of this Agreement and not to sue EMRI GHS, Chennai for any reason, as to any manner, claim, cause of action or thing whatsoever arising of or under this Agreement

40. Payment Terms

Payment will be made after 30 days of delivery, inspection, acceptance and Receipts of the Goods. The bidder should submit the bills/invoices with a copy of delivery challans – duly acknowledged by the Purchaser and order copy with satisfactory inspection report of the designated Technical Committee after Delivery duly signed and accepted should be submitted at EMRI, Chennai Office in original. Three copies of each document should be made and one copy handed over to the authority at delivery site.

41. FALL CLAUSE:

- a. The prices quoted for the material supplied under this tender by the Supplier shall in no event exceed the lowest price at which the Supplier sells or offers to sell similar material in similar volume of identical description to any person(s)/organization(s) including the Purchaser or any other EMRI GHS office located at any other place in India. If at any time during the said period, the supplier reduces the sale price, sells or offers to sell such stores to any person(s)/organization(s) including the Purchaser or any Statutory Undertaking of the Central or a State Government, as the case may be, at a price lower than the price chargeable under this contract, he shall forthwith notify such reduction or sale or offer to sale to the Purchaser and the price payable under the contract for the material supplied after the date of coming into force of such reduction or sale or offer of sale stand correspondingly reduced.

I/We convey unconditional acceptance to all the terms and conditions specified herein.

Place:

Signature of the Tenderer

Date:

Name in Block Letters
Capacity in which tender is signed
Address in full
Phone No – Landline
Phone No - Mobile
Office Seal

Annexure-1
Tender Application Form

(Submit separate forms for different annexures mentioned under different serial numbers)

- 1) Name of the Manufacturer, Dealer or Distributor:
- 2) Name of the Chief Officer & Address:
- 3) Address of the Registered office of the dealer:
- 4) Price quoted per one Set of Equipment/Material Mentioned:
(The price quoted should be inclusive of all taxes; the tax component should be shown separately)
- 5) Warranty offered:
- 6) Number of service centres in India (wherever applicable):
- 7) Name & Address of Service Centres (wherever applicable):
- 8) EMD Details with Tender form:
- 9) DD No:
Date:
Name of Bank & Branch:
- 10) Tenderer may quote items as per the below Performa as per price bid format.

Declaration by the tender: I have gone through all the tender conditions and I agree to abide by the same.

Place:

Date:

Signature of the Tenderer with Designation & Office Seal

Price Bid Format: Description of Delivery-Annexure - 2

S.No (A)	Sticker Details (B)	Qty (C)	Internal Sticker Per Unit Cost (D)	External Sticker Per Unit Cost (E)	Total Cost Per Unit (F=D+E)	Total Cost for Qty (G=CxF)
1	PTA Full Set Sticker - Eeco	26				
2	BS IV - ALS set sticker - Tempo traveller	3				
3	BS IV - BLS set sticker - Tempo traveller	122				
4	BS IV - NLS set sticker - Tempo traveller	17				
5	BS VI - ALS set sticker - Tempo traveller	151				
6	BS VI - BLS set sticker - Tempo traveller	270				
7	BS VI - NLS set sticker - Tempo traveller	20				
8	BLS Full set sticker - S.Mazda	1				
9	TRAX Full set sticker	11				
10	ALS Full set sticker - S.Mazda	1				
	Total	622				

S.No (A)	Sticker Details (B)	Qty (C)	External Sticker Per Unit Cost (D)	Total Cost for Qty (E=CxD)
	FHS Project			
1	Old Force Full Set Sticker	94		
2	New Force Full Set Sticker	39		
3	Trax Full Set Sticker	6		
	Total	139		
	JSSK Project			
1	Force Full Set Sticker	36		
2	Mahindra Full Set Sticker	21		
	Total	57		

Common Requirements:

- Manufacturer shall have good reputation of manufacturing the products listed at least for last 3 years, with high reputed Companies or any other parties of consumption

Annexure 3 – Specification as per the price bid details:

S. No.	Description	Specification	UOM	Projected Qty
1	Branding Stickers (108)	Tempo Traveller, Trax, Eeco, S. Mazda stickers as per the specification and photos attached (with ambulance internal stickers)	Each	622
2	Branding Stickers (FHS)	Tempo Traveller & Trax stickers as per the specification	Each	139
3	Branding Stickers (JSSK)	Tempo Traveller & Mahindra stickers as per the specification	Each	57

Note: Printing media sticker and lamination 120 Mic, Reflective - 80 to 90 Mic

The price bid should be submitted for each items as per the list given

Sizes for Internal Sticker Details for One Ambulance

Sl. no.	List of Rack Labels	Sizes	Qty	Rate Per Unit	GST Per Unit Cost	Total Price Inclusive of GST
1	Rack 1	13.3 cm x 6.5 cm	1			
2	Rack 2	10 cm x 3.2cm	1			
3	Rack 3	10 cm x 3.8cm	1			
4	Rack 4	10 cm x 4.3cm	1			
5	Rack 5	4.5 cm x 3.8cm	1			
6	Rack 6	14.3 cm x 3.8 cm	1			
7	Rack 7	4.5 cm x 3.2cm	1			
8	Disinfectant	3.5 cm x 3.8cm	1			
9	Side Rack	6 cm x 6 cm	1			
10	Wash Basin	4.5 cm x 2.0cm	1			
11	Wheel Chair	7.6 cm x 2cm	1			
12	Auto Loader Collapsible stretcher	12 cm x 1.2cm	1			
13	Fire Extinguisher	12cm x 1.2cm	1			
14	Oxygen Flow Meter	12cm x 1.2cm	1			
15	Scoop Board	7.6cm x 2cm	1			
16	Spine Board	7.6cm x 2cm	1			
17	Suction apparatus	6.6cm x 2cm	1			
18	Attender Seat	10 cm x 4.8cm	1			
19	Pilot Cabin	9.5 cm x 5.3cm	1			
20	Platform Tray	9.5 cm x 4.2cm	1			
21	Attender Seat (Extrication Tools)	14.3cm x 5.5cm	1			
22	Fire Preventive Cylinder Door	28.5 cm x 25.7 cm	1			
23	EMT Ready Reckoner	26.6 cm x 19.2 cm	1			
24	Critical Care Protocol Chart	26.5 cm x 19 cm	1			
25	Mutrilum Ilavasa Sticker	56cm x 13.5 cm	1			
26	Violence Prevention Act & Body Damage Act Sticker	36.4 cm x 23.6 cm	2			
27	Bio Waste (Yellow)	7.2 cm x 1.6 cm	1			
28	Bio Waste (Red)	6.3 cm x 1.6 cm	1			
29	Fire Safety Preventive Sticker	28 cm x 25.7 cm	1			
Total Cost of Internal Stickers Per Vehicle						

S.No 1: External PTA Full set sticker - Eco

Eco PTA Ambulance Stickers details									
SL NO	LOCATION	MATERIAL	COLOR	CREATIVE	Qty	ACTUAL SIZE	Rate Per Unit	GST Per Unit Cost	Total Price Incl of GST
1	FRONT TOP TN TEXT	VINYL STICKER	RED	TAMILNAD ARASU (TAMIL NAME)	1	33 X 3.5"			
2	FRONT BONNET TEXT	REF. PRINTING	YELLOW & RED	AMBULANCE (REVES)	1	30.5" X 4.75"			
3	LH SIDE STANDARD BODY TEXT	REF. PRINTING	WIHTE & RED ,YELLOW	AMBULANCE PATIENT TRANSPORT	1	96" X 9.5"			
4	LH SIDE GLASS LOGO	VINYL PRINTING WITH MAT LAMINATION	MULTI COLOUR	TAMIL NADU ARASU LOGO	1	10 X 10"			
5	LH SIDE GLASS LOGO	REF. PRINTING	MULTI COLOUR	108 LOGO	1	10 X 10"			
6	LH SIDE BOTTOM TEXT	VINYL STICKER	RED	EMRI FULL TEXT	1	29"X 1.25"			
7	LHSIDE BOTTOM LOGO	CLEAR PRINT	MULTI COLOUR	EMRI BLACK LOGO	1	10" X 2.5"			
8	RH SIDE STANDARD BODY TEXT	REF. PRINTING	WIHTE & RED ,YELLOW	AMBULANCE PATIENT TRANSPORT	1	96" X 9.5"			
9	RH SIDE STANDARD BODY TEXT	VINYL PRINTING WITH MAT LAMINATION	MULTI COLOUR	TAMIL NADU ARASU LOGO	1	10 X 10"			
10	RH SIDE GLASS LOGO	REF. PRINTING	MULTI COLOUR	108 LOGO	1	10 X 10"			
11	RH SIDE BOTTOM TEXT	VINYL STICKER	RED	EMRI FULL TEXT	1	29"X 1.25"			
12	RH SIDE BOTTOM LOGO	CLEAR PRINT	MULTI COLOUR	EMRI GHS BLACK LOGO	1	10" X 2.5"			
13	RH SIDE LOGO	VINYL PRINTING WITH MAT LAMINATION	MULTI COLOUR	NHM LOGO	1	8 X 6"			
14	REAR TOP	VINYL STICKER	RED	TAMILNADU ARASU TEXT	1	33 X 3.5"			
15	REAR GLASS	REF. PRINTING	BLUE	DOCTOR LOGO	1	17"X 17"			
16	REAR GLASS DOWN SIDE	REF. PRINTING	YELLOW & RED	AMBULANCE TEXT	1	30" X4.5"			
17	REAR LOGO	VINYL PRINTING WITH MATT LAMINATION	MULTI COLOUR	TAMILNAD ARASU LOGO	1	10 X 10"			
18	REAR LOGO	REF. PRINTING	MULTI COLOUR	108 LOGO	1	10 X 10"			
External Sticker per vehicle									
Internal Sticker per vehicle									
Total Value for Full Set Sticker per vehicle									

S.No 2: External ALS Full set sticker- Tempo traveller												
Force Ambulance Stickers details												
SL NO	LOCATION	MATERIAL	COLOR	CREATIVE	LR	TB	TOTAL SQ FT	QTY	ACTUAL SIZE	Rate Per Unit	GST Per Unit Cost	Total Price Incl of GST
1	FRONT INDICATOR LIGHTS PART	Normal Reflective	YELLOW & RED	SQUARE BOX	1.5	2	6	2	14" x 22.5"			
2	CABIN OPEN DOOR	"	"	"	2	2.5	10	2	18" x 30"			
3	STANDARD BODY	"	RED	"	2	2.5	10	2	20" x 30"			
4	"	"	"	ADVANCE LIFE SUPPORT (NAME)	0.6	5	2.5	2	5" x 54"			
5	"	"	"	AMBULANCE (NAME)	1	5	10	2	8" x 54"			
6	STANDARD BODY TOP	"	BLUE	PLUS (NEEDLE LOGO)	2	2	12	3	16" x 16"			
7	REAR OPEN DOOR (HANDLE AREA)	"	YELLOW & RED	CROSS LINE	2	2.5	10	2	18.5" x 28"			
8	REAR OPEN DOOR BOTTOM	"	YELLOW	Ambulance (BACKGROUND)	1	2.5	5	2	8" x 28"			
9	REAR OPEN DOOR BOTTOM	"	RED	AMBULANCE (NAME)	1	4	4	1	7" x 45"			
10	REAR BAMPER	"	WHITE & RED	CROSS LINE	1	2	4	2	5" x 25.5"			
11	FRONT OPEN BONNET	"	YELLOW	Ambulance (BACKGROUND)	1	3	3	1	7" x 37"			
12	FRONT OPEN BONNET	"	RED	AMBULANCE (NAME)	0.6	3	1.5	1	5.25" x 35"			
13	FRONT BAMPER	"	WHITE & RED	CROSS LINE	1	7	7	1	12" x 84"			
14	SIDE BODY 108 LOGO NEAR	"	YELLOW & RED	CHESS TYPE BOX	0.6	2	2	2	4" x 16"			
15	REAR DOOR GLASS 108 LOGO NEAR	"	RED	RED CHESS TYPE BOX	0.25	1.5	0.6	1	2.5" x 16"			
16	SIDE STANDARD BODY TOP	"	"	"	2	2.5	10	2	29" x 23"			
17	REAR DOOR GLASS	"	"	"	1.5	1.5	2.25	1	15" x 15"			
18	REAR TOP	VINYL	RED	TAMILNAD ARASU (TAMIL NAME)	0.3	3	0.75	1	4" x 33.5"			
19	FRONT TOP (SIREN)	"	"	"	0.3	3	0.75	1	4" x 33.5"			
20	SIDE STANDARD BODY BOTTOM	"	"	ELAVASA AVASARA SIGICHAI URTHI	0.3	4	2.5	2	3.5" x 46"			
21	SIDE STANDARD BODY BOTTOM	"	"	EMRI GREEN HEALTH SERVICES	0.2	4	1.5	2	2" x 47"			
22	SIDE STANDARD BODY TOP	VINYL PRINTING WITH MAT LAMINATION	MULTI COLOUR	GOVT LOGO	1.5	1.5	4.5	2	17" x 16"			
23	RIGHT SIDE STANDARD BODY	"	"	NATIONAL HEALTH MISSION LOGO	1	1.5	1.5	1	12" x 15"			
24	SIDE STANDARD BODY BOTTOM	VINYL TRANSPARENT PRINT	"	EMRI GHS LOGO	0.6	1.5	1.5	2	4" x 15"			
External Sticker per vehicle												
Internal Sticker Per Vehicle												
Full Set Sticker Per vehicle												

S.No 3: External BLS IV Full set sticker- Tempo traveller

Force Ambulance Sticker Details												
SLNO	LOCATION	MATERIAL	COLOR	CREATIVE	LR	TB	TOTAL SQ FT	QTY	ACTUAL SIZE	Rate Per Unit	GST Per Unit Cost	Total Price Incl of GST
1	FRONT INDICATOR LIGHTS PART	Normal Reflective	YELLOW & RED	SQUARE BOX	1.5	2	6	2	14" x 22.5"			
2	CABIN OPEN DOOR	"	"	"	2	2.5	10	2	18" x 30"			
3	STANDARD BODY	"	RED	"	2	2.5	10	2	20" x 30"			
4	"	"	"	BASIC LIFE SUPPORT (NAME)	0.6	5	2.5	2	5" x 54"			
5	"	"	"	AMBULANCE (NAME)	1	5	10	2	8" x 54"			
6	STANDARD BODY TOP	"	BLUE	PLUS (NEEDLE LOGO)	2	2	12	3	16" x 16"			
7	REAR OPEN DOOR (HANDLE AREA)	"	YELLOW & RED	CROSS LINE	2	2.5	10	2	18.5" x 28"			
8	REAR OPEN DOOR BOTTOM	"	YELLOW	Ambulance (BACKGROUND)	1	2.5	5	2	8" x 28"			
9	REAR OPEN DOOR BOTTOM	"	RED	AMBULANCE (NAME)	1	4	4	1	7" x 45"			
10	REAR BAMPER	"	WHITE & RED	CROSS LINE	1	2	4	2	5" x 25.5"			
11	FRONT OPEN BONNET	"	YELLOW	Ambulance (BACKGROUND)	1	3	3	1	7" x 37"			
12	FRONT OPEN BONNET	"	RED	AMBULANCE (NAME)	0.6	3	1.5	1	5.25" x 35"			
13	FRONT BAMPER	"	WHITE & RED	CROSS LINE	1	7	7	1	12" x 84"			
14	SIDE BODY 108 LOGO NEAR	"	YELLOW & RED	CHESS TYPE BOX	0.6	2	2	2	4" x 16"			
15	REAR DOOR GLASS 108 LOGO NEAR	"	RED	RED CHESS TYPE BOX	0.25	1.5	0.6	1	2.5" x 16"			
16	SIDE STANDARD BODY TOP	"	"	108 Logo	2	2.5	10	2	29" x 23"			
17	REAR DOOR GLASS	"	"	108 Logo	1.5	1.5	2.25	1	15' x 15"			
18	REAR TOP	VINYL	RED	TAMILNAD ARASU (TAMIL NAME)	0.3	3	0.75	1	4" x 33.5"			
19	FRONT TOP (SIREN)	"	"	"	0.3	3	0.75	1	4" x 33.5"			
20	SIDE STANDARD BODY BOTTOM	"	"	ELAVASA AVASARA SIGICHAI URTHI	0.3	4	2.5	2	3.5" x 46"			
21	SIDE STANDARD BODY BOTTOM	"	"	EMRI GREEN HEALTH SERVICES	0.2	4	1.5	2	2" x 47"			
22	SIDE STANDARD BODY TOP	VINYL PRINTING WITH MAT LAMINATION	MULTI COLOUR	GOVT LOGO	1.5	1.5	4.5	2	17" x 16"			
23	RIGHT SIDE STANDARD BODY	"	"	NATIONAL HEALTH MISSION LOGO	1	1.5	1.5	1	12" x 15"			
24	SIDE STANDARD BODY BOTTOM	VINYL TRANSPERENT PRINT	"	EMRI GHS LOGO	0.6	1.5	1.5	2	4" x 15"			
External Sticker per vehicle												
Internal Sticker Per Vehicle												
Total value for Full Set Sticker Per vehicle												

S.No 4: External BS IV - NLS Full set sticker- Tempo traveller

Force Ambulance Stickers details												
SL NO	LOCATION	MATERIAL	COLOR	CREATIVE	LR	TB	TOTAL SQ FT	QTY	ACTUAL SIZE	Rate Per Unit	GST Per Unit Cost	Total Price Incl of GST
1	FRONT INDICATOR LIGHTS PART	Normal Reflective	YELLOW & RED	SQUARE BOX	1.5	2	6	2	14" x 22.5"			
2	CABIN OPEN DOOR	"	"	"	2	2.5	10	2	18" x 30"			
3	STANDARD BODY	"	RED	"	2	2.5	10	2	20" x 30"			
4	"	"	"	NEONATAL CARE SUPPORT (NAME)	0.6	5	2.5	2	5" x 54"			
5	"	"	"	AMBULANCE (NAME)	1	5	10	2	8" x 54"			
6	STANDARD BODY RH			BABY PHOTO				1	48"x24"			
7	REAR OPEN DOOR (HANDLE AREA)	"	YELLOW & RED	CROSS LINE	2	2.5	10	2	18.5" x 28"			
8	REAR OPEN DOOR BOTTOM	"	YELLOW	Ambulance (BACKGROUND)	1	2.5	5	2	8" x 28"			
9	REAR OPEN DOOR BOTTOM	"	RED	AMBULANCE (NAME)	1	4	4	1	7" x 45"			
10	REAR BAMPER	"	WHITE & RED	CROSS LINE	1	2	4	2	5" x 25.5"			
11	FRONT OPEN BONNET	"	YELLOW	Ambulance (BACKGROUND)	1	3	3	1	7" x 37"			
12	FRONT OPEN BONNET	"	RED	AMBULANCE (NAME)	0.6	3	1.5	1	5.25" x 35"			
13	FRONT BAMPER	"	WHITE & RED	CROSS LINE	1	7	7	1	12" x 84"			
14	SIDE BODY 108 LOGO NEAR	"	YELLOW & RED	CHESS TYPE BOX	0.6	2	2	2	4" x 16"			
15	REAR DOOR GLASS 108 LOGO NEAR	"	RED	RED CHESS TYPE BOX	0.25	1.5	0.6	1	2.5" x 16"			
16	SIDE STANDARD BODY TOP	"	"	"	2	2.5	10	2	29" x 23"			
17	REAR DOOR GLASS RH	"	"	"	1.5	1.5	2.25	1	15" x 15"			
18	REAR TOP	VINYL	RED	TAMILNADU ARASU (TAMIL NAME)	0.3	3	0.75	1	4" x 33.5"			
19	FRONT TOP (SIREN)	"	"	"	0.3	3	0.75	1	4" x 33.5"			
20	SIDE STANDARD BODY BOTTOM	"	"	ELAVASA AVASARA SIGICHAI URTHI	0.3	4	2.5	2	3.5" x 46"			
21	SIDE STANDARD BODY BOTTOM	"	"	EMRI GREEN HEALTH SERVICES	0.2	4	1.5	2	2" x 47"			
22	SIDE STANDARD BODY TOP	VINYL PRINTING WITH MAT LAMINATION	MULTI COLOUR	GOVT LOGO	1.5	1.5	4.5	2	17" x 16"			
23	RIGHT SIDE STANDARD BODY	"	"	NATIONAL HEALTH MISSION LOGO	1	1.5	1.5	2	12" x 15"			
24	SIDE STANDARD BODY BOTTOM	VINYL TRANSPEREN T PRINT	"	EMRI GHS LOGO	0.6	1.5	1.5	2	4" x 15"			
25	WINDSHIELD TOP			PACHILAMKULANTHAI ILAVASA AVASARA SEVAI TEXT				1				
26	STANDARD BODY LH			BABY PHOTO				1	24" x 22"			
27	REAR DOOR GLASS LH			BABY PHOTO				1	24" x 20"			
External Sticker per vehicle												
Internal Sticker Per Vehicle												
Full Set Sticker Per vehicle												

S.No 5: External BS VI-ALS Full set sticker- Tempo traveller

Force Ambulance Stickers details												
SL NO	LOCATION	MATERIAL	COLOR	CREATIVE	LR	TB	TOTAL SQ FT	QTY	ACTUAL SIZE	Rate Per Unit	GST Per Unit Cost	Total Price Incl of GST
1	FRONT INDICATOR LIGHTS PART	Normal Reflective	YELLOW & RED	SQUARE BOX	1.5	2	6	2	14" x 30"			
2	CABIN OPEN DOOR	"	"	"	2	2.5	10	2	18" x 30"			
3	STANDARD BODY	"	RED	"	2	2.5	10	2	20" x 30"			
4	"	"	"	ADVANCE LIFE SUPPORT (NAME)	0.6	5	2.5	2	5" x 54"			
5	"	"	"	AMBULANCE (NAME)	1	5	10	2	8" x 54"			
6	STANDARD BODY TOP	"	BLUE	PLUS (NEEDLE LOGO)	2	2	12	3	16" x 16"			
7	REAR OPEN DOOR (HANDLE AREA)	"	YELLOW & RED	CROSS LINE	2	2.5	10	2	18.5" x 28"			
8	REAR OPEN DOOR BOTTOM	"	YELLOW	Ambulance (BACKGROUND)	1	2.5	5	2	8" x 28"			
9	REAR OPEN DOOR BOTTOM	"	RED	AMBULANCE (NAME)	1	4	4	1	7" x 45"			
10	REAR BAMPER	"	WHITE & RED	CROSS LINE	1	2	4	2	5" x 25.5"			
11	FRONT OPEN BONNET	"	YELLOW	Ambulance (BACKGROUND)	1	3	3	1	7" x 37"			
12	FRONT OPEN BONNET	"	RED	AMBULANCE (NAME)	0.6	3	1.5	1	5.25" x 35"			
13	FRONT BAMPER	"	WHITE & RED	CROSS LINE	1	7	7	1	12" x 84"			
14	SIDE BODY 108 LOGO NEAR	"	YELLOW & RED	CHESS TYPE BOX	0.6	2	2	2	4" x 16"			
15	REAR DOOR GLASS 108 LOGO NEAR	"	RED	RED CHESS TYPE BOX	0.25	1.5	0.6	1	2.5" x 16"			
16	SIDE STANDARD BODY TOP	"	"	108 Logo	2	2.5	10	2	29" x 23"			
17	REAR DOOR GLASS	"	"	108 Logo	1.5	1.5	2.25	1	15' x 15"			
18	REAR TOP	VINYL	RED	TAMILNAD ARASU (TAMIL NAME)	0.3	3	0.75	1	4" x 33.5"			
19	FRONT TOP (SIREN)	"	"	"	0.3	3	0.75	1	4" x 33.5"			
20	SIDE STANDARD BODY BOTTOM	"	"	ELAVASA AVASARA SIGICHAU URTHI	0.3	4	2.5	2	3.5" x 46"			
21	SIDE STANDARD BODY BOTTOM	"	"	EMRI GREEN HEALTH SERVICES	0.2	4	1.5	2	2" x 47"			
22	SIDE STANDARD BODY TOP	VINYL PRINTING WITH MAT LAMINATION	MULTI COLOUR	GOVT LOGO	1.5	1.5	4.5	2	17" x 16"			
23	RIGHT SIDE STANDARD BODY	"	"	NATIONAL HEALTH MISSION LOGO	1	1.5	1.5	1	12" x 15"			
24	SIDE STANDARD BODY BOTTOM	VINYL TRANSPEREN T PRINT	"	EMRI GHS LOGO	0.6	1.5	1.5	2	4" x 15"			
External Sticker per vehicle												
Internal Sticker Per Vehicle												
Total value for Full Set Sticker Per vehicle												

S.No 6: External BS VI-BLS Full set sticker- Tempo traveller

Force Ambulance Stickers details												
SL NO	LOCATION	MATERIAL	COLOR	CREATIVE	LR	TB	TOTAL SQ FT	QTY	ACTUAL SIZE	Rate Per Unit	GST Per Unit Cost	Total Price Incl of GST
1	FRONT INDICATOR LIGHTS PART	Normal Reflective	YELLOW & RED	SQUARE BOX	1.5	2	6	2	14" x 30"			
2	CABIN OPEN DOOR	"	"	"	2	2.5	10	2	18" x 30"			
3	STANDARD BODY	"	RED	"	2	2.5	10	2	20" x 30"			
4	"	"	"	BASIC LIFE SUPPORT (NAME)	0.6	5	2.5	2	5" x 54"			
5	"	"	"	AMBULANCE (NAME)	1	5	10	2	8" x 54"			
6	STANDARD BODY TOP	"	BLUE	PLUS (NEEDLE LOGO)	2	2	12	3	16" x 16"			
7	REAR OPEN DOOR (HANDLE AREA)	"	YELLOW & RED	CROSS LINE	2	2.5	10	2	18.5" x 28"			
8	REAR OPEN DOOR BOTTOM	"	YELLOW	Ambulance (BACKGROUND)	1	2.5	5	2	8" x 28"			
9	REAR OPEN DOOR BOTTOM	"	RED	AMBULANCE (NAME)	1	4	4	1	7" x 45"			
10	REAR BAMPER	"	WHITE & RED	CROSS LINE	1	2	4	2	5" x 25.5"			
11	FRONT OPEN BONNET	"	YELLOW	Ambulance (BACKGROUND)	1	3	3	1	7" x 37"			
12	FRONT OPEN BONNET	"	RED	AMBULANCE (NAME)	0.6	3	1.5	1	5.25" x 35"			
13	FRONT BAMPER	"	WHITE & RED	CROSS LINE	1	7	7	1	12" x 84"			
14	SIDE BODY 108 LOGO NEAR	"	YELLOW & RED	CHESS TYPE BOX	0.6	2	2	2	4" x 16"			
15	REAR DOOR GLASS 108 LOGO NEAR	"	RED	RED CHESS TYPE BOX	0.25	1.5	0.6	1	2.5" x 16"			
16	SIDE STANDARD BODY TOP	"	"	108 Logo	2	2.5	10	2	29" x 23"			
17	REAR DOOR GLASS	"	"	108 Logo	1.5	1.5	2.25	1	15" x 15"			
18	REAR TOP	VINYL	RED	TAMILNAD ARASU (TAMIL NAME)	0.3	3	0.75	1	4" x 33.5"			
19	FRONT TOP (SIREN)	"	"	"	0.3	3	0.75	1	4" x 33.5"			
20	SIDE STANDARD BODY BOTTOM	"	"	ELAVASA AVASARA SIGICHAI URTHI	0.3	4	2.5	2	3.5" x 46"			
21	SIDE STANDARD BODY BOTTOM	"	"	EMRI GREEN HEALTH SERVICES	0.2	4	1.5	2	2" x 47"			
22	SIDE STANDARD BODY TOP	VINYL PRINTING WITH MAT LAMINATION	MULTI COLOUR	GOVT LOGO	1.5	1.5	4.5	2	17" x 16"			
23	RIGHT SIDE STANDARD BODY	"	"	NATIONAL HEALTH MISSION LOGO	1	1.5	1.5	1	12" x 15"			
24	SIDE STANDARD BODY BOTTOM	VINYL TRANSPERENT PRINT	"	EMRI GHS LOGO	0.6	1.5	1.5	2	4" x 15"			
External Sticker per vehicle												
Internal Sticker Per Vehicle												
Total Value for Full Set Sticker Per vehicle												

S.No 7: External BS VI - NLS Full set sticker- Tempo traveller													
Force Ambulance Stickers details											Rate Per Unit	GST Per Unit Cost	Total Price Incl of GST
SL NO	LOCATION	MATERIAL	COLOR	CREATIVE	LR	TB	TOTAL SQ FT	QTY	ACTUAL SIZE				
1	FRONT INDICATOR LIGHTS PART	Normal Reflective	YELLOW & RED	SQUARE BOX	1.5	2	6	2	14" x 30"				
2	CABIN OPEN DOOR	"	"	"	2	2.5	10	2	18" x 30"				
3	STANDARD BODY	"	RED	"	2	2.5	10	2	20" x 30"				
4	"	"	"	NEONATAL CARE SUPPORT (NAME)	0.6	5	2.5	2	5" x 54"				
5	"	"	"	AMBULANCE (NAME)	1	5	10	2	8" x 54"				
6	STANDARD BODY RH	"	"	BABY PHOTO				1	48"x24"				
7	REAR OPEN DOOR (HANDLE AREA)	"	YELLOW & RED	CROSS LINE	2	2.5	10	2	18.5" x 28"				
8	REAR OPEN DOOR BOTTOM	"	YELLOW	Ambulance (BACKGROUND)	1	2.5	5	2	8" x 28"				
9	REAR OPEN DOOR BOTTOM	"	RED	AMBULANCE (NAME)	1	4	4	1	7" x 45"				
10	REAR BAMPER	"	WHITE & RED	CROSS LINE	1	2	4	2	5" x 25.5"				
11	FRONT OPEN BONNET	"	YELLOW	Ambulance (BACKGROUND)	1	3	3	1	7" x 37"				
12	FRONT OPEN BONNET	"	RED	AMBULANCE (NAME)	0.6	3	1.5	1	5.25" x 35"				
13	FRONT BAMPER	"	WHITE & RED	CROSS LINE	1	7	7	1	12" x 84"				
14	SIDE BODY 108 LOGO NEAR	"	YELLOW & RED	CHESS TYPE BOX	0.6	2	2	2	4" x 16"				
15	REAR DOOR GLASS 108 LOGO NEAR	"	RED	RED CHESS TYPE BOX	0.3	1.5	0.6	1	2.5" x 16"				
16	SIDE STANDARD BODY TOP	"	"	"	2	2.5	10	2	29" x 23"				
17	REAR DOOR GLASS RH	"	"	"	1.5	1.5	2.25	1	15" x 15"				
18	REAR TOP	VINYL	RED	TAMILNADU ARASU (TAMIL NAME)	0.3	3	0.75	1	4" x 33.5"				
19	FRONT TOP (SIREN)	"	"	"	0.3	3	0.75	1	4" x 33.5"				
20	SIDE STANDARD BODY BOTTOM	"	"	ELAVASA AVASARA SIGICHA IURTHI	0.3	4	2.5	2	3.5" x 46"				
21	SIDE STANDARD BODY BOTTOM	"	"	EMRI GREEN HEALTH SERVICES	0.2	4	1.5	2	2" x 47"				
22	SIDE STANDARD BODY TOP	VINYL PRINTING WITH MAT LAMINATION	MULTI COLOUR	GOVT LOGO	1.5	1.5	4.5	2	17" x 16"				
23	RIGHT SIDE STANDARD BODY	"	"	NATIONAL HEALTH MISSION LOGO	1	1.5	1.5	2	12" x 15"				
24	SIDE STANDARD BODY BOTTOM	VINYL TRANSPERENT PRINT	"	EMRI GHS LOGO	0.6	1.5	1.5	2	4" x 15"				
25	WINDSHIELD TOP	"	"	PACHILAMKULANTHAI ILAVASA AVASARA SEVAI TEXT	4	72"x6"							
26	STANDARD BODY LH	"	"	BABY PHOTO				1	24"x22"				
27	REAR DOOR GLASS LH	"	"	BABY PHOTO				1	24"x20"				
External Sticker per vehicle													
Internal Sticker Per Vehicle													
Total value for Full Set Sticker Per vehicle													

S.No 8: External BLS Full set sticker- S.Mazda

Swaraj MAZDA Ambulance Stickers details												
SL NO	LOCATION	MATERIAL	COLOR	CREATIVE	LR	TB	TOTAL SQ FT	QTY	ACTUAL SIZE	Rate Per Unit	GST Per Unit Cost	Total Price Incl of GST
1	FRONT INDICATOR LIGHTS PART	Normal Reflective	YELLOW & RED	SQUARE BOX	1.5	2	6	2	14" x 22.5"			
2	CABIN OPEN DOOR	"	"	"	2	2.5	10	2	18" x 30"			
3	STANDARD BODY	"	RED	"	2	2.5	10	2	20" x 30"			
4	"	"	"	BASIC LIFE SUPPORT (NAME)	0.6	5	2.5	2	5" x 54"			
5	"	"	"	AMBULANCE (NAME)	1	5	10	2	8" x 54"			
6	STANDARD BODY TOP	"	BLUE	PLUS (NEEDLE LOGO)	2	2	12	3	16" x 16"			
7	REAR OPEN DOOR (HANDLE AREA)	"	YELLOW & RED	CROSS LINE	2	2.5	10	2	18.5" x 28"			
8	REAR OPEN DOOR BOTTOM	"	YELLOW	Ambulance (BACKGROUND)	1	2.5	5	2	8" x 28"			
9	REAR OPEN DOOR BOTTOM	"	RED	AMBULANCE (NAME)	1	4	4	1	7" x 45"			
10	REAR BAMPER	"	WHITE & RED	CROSS LINE	1	2	4	2	5" x 25.5"			
11	FRONT OPEN BONNET	"	YELLOW	Ambulance (BACKGROUND)	1	3	3	1	7" x 37"			
12	FRONT OPEN BONNET	"	RED	AMBULANCE (NAME)	0.6	3	1.5	1	5.25" x 35"			
13	FRONT BAMPER	"	WHITE & RED	CROSS LINE	1	7	7	1	12" x 84"			
14	SIDE BODY 108 LOGO NEAR	"	YELLOW & RED	CHESS TYPE BOX	0.6	2	2	2	4" x 16"			
15	REAR DOOR GLASS 108 LOGO NEAR	"	RED	RED CHESS TYPE BOX	0.25	1.5	0.6	1	2.5" x 16"			
16	SIDE STANDARD BODY TOP	"	"	"	2	2.5	10	2	29" x 23"			
17	REAR DOOR GLASS	"	"	"	1.5	1.5	2.25	1	15' x 15"			
18	REAR TOP	VINYL	RED	TAMILNAD ARASU (TAMIL NAME)	0.3	3	0.75	1	4" x 33.5"			
19	FRONT TOP (SIREN)	"	"	"	0.3	3	0.75	1	4" x 33.5"			
20	SIDE STANDARD BODY BOTTOM	"	"	ELAVASA AVASARA SIGICHA IURTHI	0.3	4	2.5	2	3.5" x 46"			
21	SIDE STANDARD BODY BOTTOM	"	"	EMRI GREEN HEALTH SERVICES	0.2	4	1.5	2	2" x 47"			
22	SIDE STANDARD BODY TOP	VINYL PRINTING WITH MAT LAMINATION	MULTI COLOUR	GOVT LOGO	1.5	1.5	4.5	2	17" x 16"			
23	RIGHT SIDE STANDARD BODY	"	"	NATIONAL HEALTH MISSION LOGO	1	1.5	1.5	1	12" x 15"			
24	SIDE STANDARD BODY BOTTOM	VINYL TRANSPERENT PRINT	"	EMRI GHS LOGO	0.6	1.5	1.5	2	4" x 15"			
External Sticker per vehicle												
Internal Sticker per vehicle												
Full Set Sticker per vehicle												

S.No 9: External TRAX Full Set Stickers

Trax Ambulance Stickers details - 3M Retro Reflective						
SNO	CONTENT	Quantity	ACTUAL SIZE	Rate Per Unit	GST Per Unit Cost	Total Price Incl of GST
1	TAMILNADU ARASU	1	31"x2.25"			
2	AMBULANCE YELLOW/RED REFLECTOR	1	40"x7"			
3	NATIONAL HEALTH MISSION LOGO	1	6.75"x6.75"			
4	TN LOGO	1	6.75"x6.75"			
5	TN LOGO	2	12"x12"			
6	DOCTOR LOGO	2	9.5"x9.5"			
7	108 LOGO	2	14"x10"			
8	PATIENT TRANSPORT	2	23"x2"			
9	REFLECTOR RED BOX(12 NOS)	2	4.75"x4.75"			
10	REFLECTOR RED AND YELLOW BOX	2	45"x7"			
11	EMRI GHS LOGO	2	15"x4"			
12	AMBULANCE REFLECTOR RED	2	28"x4"			
13	ILAVASA AVASARA SIGICHAI OORTHI LETTER	2	4"x4.5"			
14	TAMILNADU ARASU	1	31"x2.5"			
15	AMBULANC YELLOW/RED REFLECTOR	1	27"x4.25"			
16	TN LOGO	1	5.5"x5.5"			
17	DOCTOR LOGO	1	10.5"x10.5"			
18	108 LOGO	1	10"x10"			
External Sticker per vehicle						
Internal Sticker Per Vehicle						
Total value for Full Set Sticker per vehicle						

S.No 10: External ALS Full set sticker- S.Mazda

Swaraj MAZDA Ambulance Stickers details												
SL NO	LOCATION	MATERIAL	COLOR	CREATIVE	LR	TB	TOTAL SQ FT	QTY	ACTUAL SIZE	Rate Per Unit	GST Per Unit Cost	Total Price Incl of GST
1	FRONT INDICATOR LIGHTS PART	Normal Reflective	YELLOW & RED	SQUARE BOX	1.5	2	6	2	14" x 22.5"			
2	CABIN OPEN DOOR	"	"	"	2	2.5	10	2	18" x 30"			
3	STANDARD BODY	"	RED	"	2	2.5	10	2	20" x 30"			
4	"	"	"	ADVANCE LIFE SUPPORT (NAME)	0.6	5	2.5	2	5" x 54"			
5	"	"	"	AMBULANCE (NAME)	1	5	10	2	8" x 54"			
6	STANDARD BODY TOP	"	BLUE	PLUS (NEEDLE LOGO)	2	2	12	3	16" x 16"			
7	REAR OPEN DOOR (HANDLE AREA)	"	YELLOW & RED	CROSS LINE	2	2.5	10	2	18.5" x 28"			
8	REAR OPEN DOOR BOTTOM	"	YELLOW	Ambulance (BACKGROUND)	1	2.5	5	2	8" x 28"			
9	REAR OPEN DOOR BOTTOM	"	RED	AMBULANCE (NAME)	1	4	4	1	7" x 45"			
10	REAR BAMPER	"	WHITE & RED	CROSS LINE	1	2	4	2	5" x 25.5"			
11	FRONT OPEN BONNET	"	YELLOW	Ambulance (BACKGROUND)	1	3	3	1	7" x 37"			
12	FRONT OPEN BONNET	"	RED	AMBULANCE (NAME)	0.6	3	1.5	1	5.25" x 35"			
13	FRONT BAMPER	"	WHITE & RED	CROSS LINE	1	7	7	1	12" x 84"			
14	SIDE BODY 108 LOGO NEAR	"	YELLOW & RED	CHESS TYPE BOX	0.6	2	2	2	4" x 16"			
15	REAR DOOR GLASS 108 LOGO NEAR	"	RED	RED CHESS TYPE BOX	0.25	1.5	0.6	1	2.5" x 16"			
16	SIDE STANDARD BODY TOP	"	"	"	2	2.5	10	2	29" x 23"			
17	REAR DOOR GLASS	"	"	"	1.5	1.5	2.25	1	15" x 15"			
18	REAR TOP	VINYL	RED	TAMILNAD ARASU (TAMIL NAME)	0.3	3	0.75	1	4" x 33.5"			
19	FRONT TOP (SIREN)	"	"	"	0.3	3	0.75	1	4" x 33.5"			
20	SIDE STANDARD BODY BOTTOM	"	"	ELAVASA AVASARA SIGICHAI URTHI	0.3	4	2.5	2	3.5" x 46"			
21	SIDE STANDARD BODY BOTTOM	"	"	EMRI GREEN HEALTH SERVICES	0.2	4	1.5	2	2" x 47"			
22	SIDE STANDARD BODY TOP	VINYL PRINTING WITH MAT LAMINATION	MULTI COLOUR	GOVT LOGO	1.5	1.5	4.5	2	17" x 16"			
23	RIGHT SIDE STANDARD BODY	"	"	NATIONAL HEALTH MISSION LOGO	1	1.5	1.5	1	12" x 15"			
24	SIDE STANDARD BODY BOTTOM	VINYL TRANSPERENT PRINT	"	EMRI GHS LOGO	0.6	1.5	1.5	2	4" x 15"			
External Sticker per vehicle												
Internal Sticker per vehicle												
Full Set Sticker per vehicle												

1. RACK 1- SIZE: Length x Breath [13.3 cm x 6.5 cm]

RACK - 1		
Atropine	Furosemide	Aspirin
Adrenaline	Paracetamol	Sorbitrate
Pheniramine Malate	Ranitidine	Oral Glucose
Budesonide	Oxytocin	Salbutamol
Hydrocortisone	Oral rehydration solution	Midazolam
Xylocaine	Ipratropium Salbutamol/bromide	
Distilled water	Magnesium sulphate	

2. RACK 2- SIZE : Length x Breath [10 cm x 3.2 cm]

RACK - 2	
Syringes 2ml, 5ml, 10ml	Dynaplast Tape
IV set Micro, Macro	Micropore Tapes
IV Cannula (All sizes)	Adhesive Plaster

3. RACK 3- SIZE : Length x Breath [10 cm x 3.8 cm]

RACK - 3	
Roller bandage (All sizes)	Toothed forceps - Dissecting
Dressing Pads, Gauze Pads & Rolls	Artery forceps
Scissors	Forceps
Band Aid	Crepe bandage
Micropore	EMT Shears

4.RACK 4- SIZE: Length x Breath [10 cm x 4.3 cm]

RACK - 4	
Glucometer	BP - Cuff (pediatric)
Gluco strips & Lancet	BP. Apparatus Manual
Hub Cutter	Nebulizer Mask
Pupillary torch	Pulse Oxymeter
Digital thermometer	Stethoscope

5.RACK 5- SIZE : Length x Breath [4.5 cm x 3.8 cm]

RACK - 5
Cervical Collar
Disposable delivery kit
Klik clamp
Stock items
Splints (All size)

6.RACK 6- SIZE : Length x Breath [14.3 cm x 3.8 cm]

RACK - 6	
Oropharyngeal Airway-All sizes	Nasal Canula - Adult/child
Mucus sucker	Suction catheter
Nasopharyngeal Airway - All sizes	Tongue depressor
Nebulizer mask	Non Re breather Mask - Adult/Pediatric
Oxygen mask - Adult/Pediatric	

7.RACK 7- SIZE: Length x Breath [4.5 cm x 3.2 cm]

RACK -7
IV - Fluids
NS
RL
Dextrose 25% and 10%


8.DISINFECTANTS- SIZE : Length x Breath [3.5 cm x 3.8 cm]

DISINFECTANTS
Glass cleaner
Room freshener
Disinfectant
Bleach

9.SIDE RACK- SIZE : Length x Breath [6 cm x 6 cm]

SIDE RACK
Log book
Accident information form
Vehicle check list (daily, weekly)
Stationeries (All)
Operational Records (All)
P C R sheets
ECG Rolls/gel/electrodes
Ambu Bag Adult and Child
Medical protocol book

10.WASH BASIN- SIZE: Length x Breath [4.5 cm x 2 cm]



11.WHEEL CHAIR- SIZE : Length x Breath [7.6 cm x 2 cm]



12.AUTO LOADER COLLAPSIBLE STRETCHER- SIZE : Length x Breath [12 cm x 1.2 cm]



13.FIRE EXTINGUISHER- SIZE : Length x Breath [12 cm x 1.2 cm]



14.OXYGEN FLOW METER- SIZE : Length x Breath [12 cm x 1.2 cm]



15.SCOOP BOARD- SIZE : Length x Breath [7.6 cm x 2 cm]



16.SPINE BOARD - SIZE: Length x Breath [7.6 cm x 2 cm]

Spine board

17.SUCTION APPARATUS- SIZE : Length x Breath [6.6 cm x 2 cm]

Suction apparatus

18.ATTENDER SEAT- SIZE : Length x Breath [10 cm x 4.8 cm]

ATTENDER SEAT	
Biomedical waste covers	Luminous Search Light
Spine board straps, head block	Fire/Rescue Blanket
Urine Pan	O2 cylinder portable
Rain coat	Head Immobilizer
Sputum cup	Kidney tray
	Bed pan

19.PILOT CABIN- SIZE: Length x Breath [9.5 cm x 5.3 cm]

PILOT CABIN	
Jack / Jack Rod	Ambulance Tool Kit
Reflector Triangle - Red	Vehicle Charging Cable
Wheel spanner	Cylinder Key

20.PLATFORM TRAY - SIZE: Length x Breath [9.5 cm x 4.2 cm]

PLATFORM TRAY	
Surgical spirit	Plastic Apron
Povidine Iodine solution	Goggles
Cotton roll	Hub Cutter
Disposable gloves	Disposable face mask Motion sickness bag
Manual BP app.	Handheld suction

21.ATTENDER SEAT (EXTRICATION TOOLS)- SIZE: Length x Breath [14.3 cm x 5.5 cm]

ATTENDER SEAT (Extrication Tools)	
12" Wrench Adjustable Open End	51" Crowbar Pinch Point
12" Screw Driver Standard Square Bar	Bolt Cutter with 1" To 1/4" Jaw Opening
8" Screw Driver Philips Head # 2	Showel Pointed Blade
Hacksaw with 12" Carbide Wire Blade	Tin Snips, Double Action 8" Minimum
Vise Grip Pliers 10"	Gauntlets, Pruning Saw
5lb Hammer with 15" Handle	Ropes 5400lb Tensile Strength 50'
Fire Axe Butt 24" Handle	Mastic Knife
Wrecking Bar with 24" Handle	Spring Load Center Punch

22. FIRE PREVENTIVE CYLINDER DOOR SIZE :Length x Breath (28 CM x 25.7 CM)

FIRE PREVENTIVE & SAFETY MEASURES

தீ தடுப்பு மற்றும் பாதுகாப்பு முறைகள்



CHECK OXYGEN CYLINDER FOR CORRECT POSITION

ஆக்ஸிஜன் சிலிண்டர் சரியான நிலையில் பொருத்தப்பட்டுள்ளதா என்று சரிபார்க்கவும்.



CHECK OXYGEN LOCK AND TROLLEY LOCK FOR PROPER LOCKING

ஆக்ஸிஜன் சிலிண்டர் மற்றும் டிராலி லாக்கை சரியாக லாக் செய்யவும்.



OPEN OXYGEN CYLINDER VALVE TO REQUIRED LEVEL

ஆக்ஸிஜன் சிலிண்டர் வால்வை தேவையான அளவுக்கு மட்டுமே திறக்கவும்.



KEEP CYLINDER VALVE CLOSED WHILE OXYGEN SYSTEM IS NOT IN USE

பயன்பாட்டில் இல்லாதபோது ஆக்ஸிஜன் சிலிண்டர் வால்வை நன்கு மூடி வைக்க வேண்டும்.



CHECK OXYGEN HOSE JOINT FOR LEAK AT CYLINDER END WITH SOAP WATER

ஆக்ஸிஜன் பைப் மற்றும் பைப் இணைப்புகளில் கசிவு ஏதேனும் இருக்கிறதா என்று சோப்பு நீர் உபயோகித்து சரி பார்க்கவும்.



CHECK OXYGEN CYLINDER DOOR FOR PROPER LOCKING

ஆக்ஸிஜன் சிலிண்டர் கதவை சரியாக லாக் செய்யவும்.

23.EMT READY RECKONER : Length x Breath (26.6 CM x 19.2 CM)



EMERGENCY DRUGS USAGE @ 108 AMBULANCE



S.NO	Generic Name	Contains	Route	Indications	Contraindication
1	Inj. Adrenaline	1 Amp = 1mg/1ml	IV	Cardiac Arrest, Severe Allergic Reactions	Hypertension, Tachycardia
2	Inj. Atropine	1 Amp = 2mg/1ml	IV	Bradycardia, COPD Poison	Hypertension, Tachycardia
3	Inj. Pheniramine maleate	1 Amp = 40mg/2ml	IV/IM	Allergic reactions	None in Emergency
4	Inj. Paracetamol	1 Amp = 300mg/2ml	IM	Pain, Fever	Liver failure
5	Inj. Ranitidine	1 Amp = 50mg/2ml	IM/IV	Gastritis, Peptic ulcer	Allergic to Ranitidine
6	Inj. Magnesium Sulphate	3 Amp = 1gm/2ml	Slow IV	Pre Eclampsia with Danger Symptoms, Severe Pre Eclampsia, Eclampsia	Heart block, Myocardial damage, diabetic coma
7	Inj. Hydrocortisone	1 Vial = 100mg (ml with 5ml)	IV	Anaphylactic reactions, Asthma	Infection (TB/HIV)
8	Inj. Midazolam	1 Amp = 2mg/5ml	IV	Seizure, psychomotor overdose	Allergic to Midazolam, Severe respiratory distress
9	Inj. Oxytocin	1 Amp = 5IU/ml	IV	After Delivery, PPH	Misposition or Misrepresentation of Fetus, Multiple gestation
10	Inj. Tranexamic Acid	1 Amp = 500mg / 5ml	IV	Excessive Blood Loss	Allergic to TIA, Brain hemorrhage
11	Tab. Aspirin	1 Tab = 250mg	Oral		Allergic to Aspirin, ulcer disease
12	Tab. Oxiprel	1 Tab = 75mg	Oral	Cardiac loading dose for Chest Pain & MI	Liver disease, Stomach ulcer, bleeding in brain
13	Tab. Atorvastatin	1 Tab = 30mg	Oral		Allergic to Atorvastatin
14	Tab. Isosorbide	1 Tab = 5mg	SL	Chest Pain, MI	Hypotension (<80/60mmHg), BradyCardia (<60b/min)
15	Resp. Salbutamol	1 Resp = 2.5ml	INH	Whooping, Acute Asthma, COPD Exacerbation	High BP during Pregnancy, Myocardial infarction
16	Resp. Budesonide	1 Resp = 2mg/2ml	INH	Asthma, Croup	None in Emergency
17	Resp. Dexamethasone	1 Resp = 3ml	INH	Severe Asthma, COPD	Allergic to Dexamethasone, Tachycardia
18	Syp. Meclizine Od	1 Bottle 300ml = 2mg/ml	PO	Gastritis, Peptic Ulcer	Severe Stomach pain or constipation, kidney disease
19	Syp. Paracetamol	1 Bottle 300ml = 100mg/ml	PO	Pain, Fever	Liver and Kidney failure
20	ORS Powder	1 sachet = 20.5gms	PO	Diarrhea, Vomiting and Dehydration	Unconscious, Breathing difficulty
21	Oral glucose	1 box = 250g	PO	Hypoglycemia	Hypoglycemia, Unconscious
22	MF Normal saline	1 Unit = 500ml	IV	Blood loss, RTA, Hypovolemic Shock	Kidney failure, Heart disease
23	MF Ringer's Lactate	1 Unit = 500ml	IV	Shock, Vomiting, Diarrhea	Severe Metabolic Acidosis or Alkalosis, Severe liver disease
24	MF Dextrose 10%	1 Unit = 500ml	IV	Hypoglycemia	Hypoglycemia
25	MF Dextrose 50%	1 Unit = 500ml	IV	Hypoglycemia	Hypoglycemia
26	Povidone Solution P 1%	1 Bottle = 500ml	Topical	Skin Infections/ Wound Cleaning	Allergic to Povidone, Burns
27	Relaxaine Jelly 2%	1 Tube = 30g	Topical	Insertion of NPA	Allergic to Relaxaine
28	Distilled Water	1 Vial = 30ml	Solution	Clotting	None of Prehospital Setting
29	Surgical Spirit	1 Bottle = 500ml	Solution	Disinfectant	None of Prehospital Setting

10.5 x 7.5

11:17 am

24. CRITICAL CARE PROTOCOL CHART SIZE: Length x Breath (26.5 CM x 19CM)

108 AMBULANCE CASE TRIAGING AND SHIFTING PROTOCOL TO APPROPRIATE HOSPITALS



PRE HOSPITAL TRIAGE (CTAS) CHART					
Triage	CRITICAL			NON-CRITICAL	
	ERCP Advice (Compulsory)		ERCP Advice- (If Necessary)	ERCP Advice - Not Necessary	
	RED		Yellow	Green	
Category	Resuscitation	Very urgent	Urgent	Less urgent	Non urgent
Conscious level	Unresponsive/ GCS 3	Unconscious (Responds to verbal & Painful stimuli) GCS 4-9	Conscious, Disoriented GCS 10 to 12	Conscious /Oriented GCS 13-15	Conscious /Oriented / GCS 15
Vital Signs	No pulse No breathing / Gaping Systolic Bp not recordable Spo2< 60% CRT >4 to 6 sec/Cold Skin Dilated/ Fixed	Pulse <60 >110 b/mt RR <10 or >30 b/mt / noisy breathing / increased effort / Cyanosis Systolic Bp <100mmhg or >180mmhg Spo2< 90% CRT >2 to 4 sec/ Cool & Clammy Skin or Dry Skin CBG <70mg/dl or >500mg/dl Temp ≥103° (Adult) Temp ≥101° (Pediatric) Dilated/ Constricted, Sluggish/ unequal/ lateralization	Pulse 100 to 110 b/mt (With out Major Symptoms) RR 21 to 30 b/min, SBP 141 to 180 mm Hg (With out Major Symptoms) Spo2 91% to 94 % CRT <2 sec CBG 140 to 500 mg/dl (If Conscious) Temp 99 to 102° (Adult) Temp 99 to 100° (Pediatric) PERL	Pulse 60-100 b/mt RR 12 to 20 b/min, SBP 100 to 140 mm Hg Spo2 ≥95 % CRT <2 sec CBG 70 to 140mg/dl Temp 98.6° PERL	Pulse 60-100 b/mt RR 12 to 20 b/min, SBP 100 to 140 mm Hg Spo2 ≥95 % CRT <2 sec CBG 70 to 140mg/dl Temp 98.6° F PERL
Medical Related	pulse present (ROSC) after a CPR	Foreign body obstruction Chest pain Abnormal heart rhythm Seizure (Active & After seizure with Unconscious) Stroke (within 4.5 hrs) Severe allergic reactions Anaemia <7 Severe pain (≥8/10) Pesticide Poison / Any SnakeBite Severe Dehydration	Seizures - resolved, Drowsy Stroke after ≥4.5 hours Violent/Aggressive Moderate allergic reactions Pain (5 to 7/10) Other Poison/ Other Bite Moderate dehydration	Seizures - resolved, Conscious old Stroke pain < 4/10 Mild allergic reactions Mild dehydration	Medical Review cases with stable vitals Diarrhea with Nodehydration
Trauma Related	Traumatic Extremity Amputation / uncontrolled bleeding	Gun shot Open / Closed fractures/ long bone / more than two bones Pelvic fracture Chest trauma/ Flail Chest Head injury (Alter LOC, Vomiting, Seizure, ENT Bleeding, CSF Leak) Eviseration/ Penetration/crush Injury Burns >=40% BSA / Burns on face & chest/ 2nd & 3rd degree at any part Jugular Vein distension Inhalation injury, drowning	open fracture (below Wrist & Ankle) Crush injury (below Wrist & Ankle) Closed fracture on below elbow /below knee/ Amputation of finger /toes Suspected sexual assault Burns >5% to <40% BSA (including limbs) Suspected child abuse Suspected elderly abuse	open fracture (finger/ toes) Crush injury ((finger/ toes) Laceration/puncture/Mild Bleeding/Swelling Avulsion Injury only on hand Burns <5% BSA	Minor contusions, abrasions or lacerations (not requiring closure by any means) Trauma review cases (old Injury) with stable vitals
Pregnancy Related	Sever PPH more than 1000ml Blood Loss Eclampsia	Active labour / Abnormal presentation , cord Prolapse / Prolonged Labour /IUD Heavy bleeding before and after delivery (500 to 1000ml) Pre - eclampsia/ severe Pre eclampsia	Labour/ leaking amniotic fluid Bleeding after delivery 300 to 500ml	Mild Contraction	ANC mother with stable vitals
Neonatal	All Neonatal Cases				
Opinion/ Referal	Cases with Above Vitals			Cases with Above Vitals	

25.MUTRILUM ILAVASA STICKER SIZE : Length x Breath (56 CM x 13.5 CM)



26.VIOLENCE PREVENTION ACT & BODY DAMAGE ACT STICKER SIZE : Length x Breath (36.4 CM x 23.6 CM)



27. BIO WASTE (YELLOW)- SIZE : Length x Breath [7.2cm x 1.6cm]



28. BIO WASTE (RED)- SIZE : Length x Breath [6.3cm x 1.6cm]



29. FIRE PREVENTIVE SAFETY PREVENTIVE SIZE: Length x Breath (26.6 CMx19 CM)



FIRE PREVENTIVE AND SAFETY MEASURES



தீ தடுப்பு மற்றும் பாதுகாப்பு முறைகள்



1. LEAK CHECK POINT
கசிவை சோதிக்கும் பகுதிகள்
2. PRESSURE REGULATOR
கசிவை சோதிக்கும் பகுதிகள்
3. FLOW METER
புளோ மீட்டர்
4. HUMIDIFIER
ஹியுமிடிபையர்



DOS



DONT'S







<p>CHECK FOR OXYGEN LEAK WITH SOAP WATER AT : ஆக்ஸிஜன் கசிவு உள்ளதா என சோப்பு நீர் கொண்டு கீழ்க்கண்டவற்றை பரிசோதிக்கவும்.</p> <ol style="list-style-type: none"> 1. REGULATOR HOSE JOINTS - ரெகுலேட்டர் ஹோஸ் இணைப்புகள் 2. FLOW METER JOINTS - புளோ மீட்டர் இணைப்புகள் 3. HUMIDIFIER JOINTS - ஹியுமிடிபையர் இணைப்புகள் 	<p>IF OXYGEN LEAK FOUND IN THE SYSTEM, ON DUTY PILOT TO CARRY OUT THE FOLLOWING : ஆக்ஸிஜன் கசிவு தென்படும் சமயத்தில் பொருப்பாளர் கீழ்க்கண்ட விதிமுறைகளை பின்பற்ற வேண்டும்.</p>
<p>CHECK FOR ELECTRICAL SWITCHES & WIRING FOR LOOSE CONNECTION. IF ANY FOUND DEFECTIVE, IT IS TO BE RECTIFIED IMMEDIATELY மின்சார ஸ்விட்சுகள் மற்றும் வயர்கள் சரியாகப் பொருத்தப்பட்டுள்ளனவா என்று பரிசோதிக்கவும். சரியாகப் பொருத்தப்படவில்லையெனில் உடனடியாக சரி செய்யவும்.</p>	<ol style="list-style-type: none"> 1. CLOSE THE OXYGEN CYLINDER VALVE FIRMLY. ஆக்ஸிஜன் சிலிண்டர் வால்வை இறுக்கமாக மூடவும்.
<p>CHECK BATTERY TERMINAL FOR PROPER FITMENT. IF FOUND DEFECTIVE, IT HAS TO BE RECTIFIED IMMEDIATELY. பேட்டரி டெர்மினல் சரியாகப் பொருத்தப்பட்டுள்ளதா என்று பரிசோதிக்கவும். சரியாகப் பொருத்தப்படவில்லையெனில் உடனடியாக சரி செய்யவும்.</p>	<ol style="list-style-type: none"> 2. TURN OFF THE IGNITION, THE ELECTRICAL MAIN SWITCH AND REMOVE BATTERY TERMINALS. வாகனத்தின் ஓட்டத்தை நிறுத்தவும், மின் இணைப்பு பேட்டரி இணைப்புகளை துண்டிக்கவும்.
<p>DO NOT STORE ANY INFLAMMABLE ITEMS OIL, GREASE, WATER ETC. NEAR BATTERY OR WITH IN OXYGEN CYLINDER COMPARTMENT. பேட்டரி மற்றும் சிலிண்டர் அருகில் எளிதில் பற்றக் கூடிய பொருட்கள், எண்ணெய், கிரீஸ், தேவையற்ற பொருட்களை வைக்கக்கூடாது.</p>	<ol style="list-style-type: none"> 3. OPEN THE LEAKING JOINT(S), CHECK FOR ANY DAMAGES, REPLACE THE TEFLON TAPE AND TIGHTEN THE JOINT(S) FIRMLY ஆக்ஸிஜன் கசிவு உள்ள இணைப்புகளை திறந்து ஏதேனும் பழுது உள்ளதா எனக் கண்டறிந்து டெப்லான் மூலம் இணைப்புகளை இறுக்கமாக பொருத்தவும்.
<p>IF THE OXYGEN LEAK COULD NOT BE RECTIFIED, INFORM IMMEDIATELY TO RFE, EME & PM. THE AMBY SHOULD BE MADE "OFF - ROAD" TILL RECTIFICATION OF THE DEFECT.</p>	<ol style="list-style-type: none"> 4. AGAIN RECHECK FOR LEAK WITH SOAP WATER WITHOUT FAIL. மீண்டும் ஒரு முறை சோப்பு நீரின் மூலம் கசிவு உள்ளதா என பரிசோதிக்கவும்

IF THE OXYGEN LEAK COULD NOT BE RECTIFIED, INFORM IMMEDIATELY TO RFE, EME & PM. THE AMBY SHOULD BE MADE "OFF - ROAD" TILL RECTIFICATION OF THE DEFECT.

ஆக்ஸிஜன் கசிவு சரி செய்ய முடியவில்லையெனில் உடனடியாக FE, OE & DM ஆகியோருக்கு தகவல் தெரிவிக்கவும், கசிவு சரி செய்யப்படும் வரை ஆம்புலன்ஸ் தற்காலிகமாக பணியிலிருந்து நிறுத்தி வைக்கப்பட வேண்டும்.

MEDICAL RACK LABELS STICKER SIZE: Length x Breath (31.7 CM x 23 CM)

RACK - 1		
Atropine	Furosemide	Aspirin
Adrenaline	Paracetamol	Sorbitrate
Pheniramine Malate	Ranitidine	Oral Glucose
Budesonide	Oxytocin	Salbutamol
Hydrocortisone	Oral rehydration solution	Midazolam
Xylocaine	Ipratropium Salbutamol/bromide	
Distilled water	Magnesium sulphate	

PLATFORM TRAY	
Surgical spirit	Plastic Apron
Povidine Iodine solution	Goggles
Cotton roll	Hub Cutter
Disposable gloves	Disposable face mask
	Motion sickness bag
Manual BP app.	Handheld suction

Spine board

WHEEL CHAIR

Scoop board

Bio Waste(Yellow)

Bio Waste(Red)

Suction apparatus

ATTENDER SEAT (Extrication Tools)	
12" Wrench Adjustable Open End	51" Crowbar Pinch Point
12" Screw Driver Standard Square Bar	Bolt Cutter with 1" To 1/4" Jaw Opening
8" Screw Driver Philips Head # 2	Showel Pointed Blade
Hacksaw with 12" Carbide Wire Blade	Tin Snips, Double Action 8" Minimum
Vise Grip Pliers 10"	Gauntlets, Pruning Saw
5lb Hammer with 15" Handle	Ropes 5400lb Tensile Strength 50'
Fire Axe Butt 24" Handle	Mastic Knife
Wrecking Bar with 24" Handle	Spring Load Center Punch

RACK - 6	
Oropharyngeal Airway-All sizes	Nasal Canula - Adult/child
Mucus sucker	Suction catheter
Nasopharyngeal Airway - All sizes	Tongue depressor
Nebulizer mask	Non Re breather Mask - Adult/Pediatric
Oxygen mask - Adult/Pediatric	

RACK - 3	
Roller bandage (All sizes)	Toothed forceps - Dissecting
Dressing Pads, Gauze Pads & Rolls	Artery forceps
Scissors	Forceps
Band Aid	Crepe bandage
Micropore	EMT Shears

Collapsible stretcher

Fire Extinguisher

RACK - 4	
Glucometer	BP - Cuff (pediatric)
Gluco strips & Lancet	BP. Apparatus Manual
Hub Cutter	Nebulizer Mask
Pupillary torch	Pulse Oxymeter
Digital thermometer	Stethoscope

RACK - 5
Cervical Collar
Disposable delivery kit
Klik clamp
Stock items
Splints (All size)

SIDE RACK
Log book
Accident information form
Vehicle check list (daily, weekly)
Stationeries (All)
Operational Records (All)
P C R sheets
ECG Rolls/gel/electrodes
Ambu Bag Adult and Child
Medical protocol book

WASH BASIN
Liquid hand wash
Sterilium

Oxygen flow meter

ATTENDER SEAT	
Biomedical waste covers	Luminous Search Light
Spine board straps, head block	Fire/Rescue Blanket
Urine Pan	O2 cylinder portable
Rain coat	Head Immobilizer
Sputum cup	Kidney tray
	Bed pan

PILOT CABIN	
Jack / Jack Rod	Ambulance Tool Kit
Reflector Triangle - Red	Vehicle Charging Cable
Wheel spanner	Cylinder Key

RACK - 2	
Syringes 2ml, 5ml, 10ml	Dynaplast Tape
IV set Micro, Macro	Micropore Tapes
IV Cannula (All sizes)	Adhesive Plaster

RACK - 7
IV - Fluids
NS
RL
Dextrose 25% and 10%

DISINFECTANTS
Glass cleaner
Room freshener
Disinfectant
Bleach

ALS/BS6 ALS Model External Branding Sticker Photos



BLS / BS6 BLS Model External Branding Sticker Photos



NLS / BS6 NLS Model External Branding Sticker Photos



OPPO A74 5G



OPPO A74 5G

TRAX Model External Branding Sticker Photos



PTA - Eco Model External Branding Sticker Photos



Swaraj Mazda Model External Branding Sticker Photos



New Logo need to be incorporate instead of GVK EMRI Logo



EMRI GREEN
HEALTH SERVICES
GVK Enterprise

Size 14.5 inches x 6 inches



FHS Force (Old Model) Full Set Sticker Check List

S.NO	Description Sticker	Size in inch	Qty	Rate Per Unit	GST Per Unit Cost	Total Price Inclusive of GST
	Front Side Sticker					
1	155377 Logo Vinyl Print	12 Inch	1			
2	TN Logo Vinyl Print Top Side	12 Inch	1			
3	Govt of Tamil Nadu (English) Blue Reflective	16 x 1.5 Inch	1			
4	Tamil Nadu White Reflective (Tamil)	34 x 3.75 Inch	1			
5	Free Hearse Services (Tamil) White Reflective	40 x 2 Inch	1			
6	Red Strip (BONNET & GLASS)	6 inch x 144 inch	2			
	Right & Left Side Stickers					
7	TN Logo Vinyl Print BIG	19 Inch	2			
8	TN Tamil text Blue Reflective	34 x 3.75 Inch	2			
9	24hr free (155377) LOGO Big Reflective	30 x 24 Inch	2			
10	Free Hearse Services (Tamil) White Reflective	60 x 4 Inch	2			
11	TN Health Plan text Red Reflective	42 x 3.5 Inch	2			
12	Kattanam Selutha Tevaiyillai Red Reflective	28 x 3 Inch	2			
13	EMRI GHS Logo	16 x 4 Inch	2			
14	EMRI GHS Full Text Red Reflective	48 x 2.5 Inch	2			
15	Red Strip	6 Inch x 260 Inch	2			
16	Pukar Terivikka Red Reflective	28 x 3 Inch	2			
	Rear Side Stickers					
17	TN Logo Vinyl Print medium	10 Inch	1			
18	TN Tamil text Blue reflective	16 x 1.5 Inch	1			
19	155377 LOGO Medium Reflective	16 Inch	2			
20	Free Hearse Services (Tamil) White Reflective	50 x 4.5Inch	1			
21	TN Health Plan text Red Reflective	26 x 3 Inch	1			
22	Kattanam Selutha Tevaiyillai Red Reflective	26 x 3 Inch	1			
23	EMRI GHS Logo	16 x 4 Inch	1			
24	Red Strip	6 inch x 72 Inch	1			
25	Pukar Terivikka Red Reflective	26 x 3 Inch	1			
Total			37			



FHS Force (New Model) Full Set Sticker Check List						
S.No	Description Sticker	Size in inch	Qty	Rate Per Unit	GST Per Unit Cost	Total Price Inclusive
	Front Side Sticker					
1	155377 Logo Vinyl Print	12 dia	1			
2	TN Logo Vinyl Print Top Side	12 Inch	1			
3	Govt of Tamil Nadu (English) Blue Reflective	18" x 5 Inch	1			
4	Tamil Nadu W-hite Reflective (Tamil)	34" x 4" Inch	1			
5	Free Hearse Services (Tamil) White Reflect	41" x 2" Inch	1			
6	Red Strip	4" inch x 80 inch	1			
7	Glass Red Strip	60"x6"	1			
Right & Left Side Stickers						
8	TN Logo Vinyl Print BIG	16" dia	2			
9	TN Tamil text Blue Reflective	34" x 4" Inch	2			
10	24hr free (155377) LOGO Big Reflective	30 x 17" Inch	2			
11	Free Hearse Services (Tamil) White Reflect	60 x 4 Inch	2			
12	TN Health Plan text Red Reflective	20" x 3" Inch	2			
13	Kattanam Selutha Tevaiyillai Red Reflective	24" x 2 Inch	2			
14	EMRI GHS Logo	15" x 5" Inch	2			
15	EMRI GHS Full Text white Reflective	47" x 3" Inch	2			
16	Red Strip	200" Inch x 6" Inc	2			
17	Pukar Terivikka Red Reflective	24" x 2" Inch	2			
Rear Side Stickers						
18	TN Logo Vinyl Print	8" Inch	1			
19	TN Tamil text Blue Reflective	20"x 2" Inch	1			
20	155377 LOGO Medium Reflective	14"x 14" Inch	2			
21	Free Hearse Services (Tamil) White Reflect	50"x 4" Inch	1			
22	TN Health Plan text Red Reflective	26 x 2 . 1/2" "Inch	1			
23	Kattanam Selutha Tevaiyillai Red Reflective	27" x 3" Inch	1			
24	EMRI GHS Logo	15" x 5" Inch	1			
25	Red Strip	60" inch x 6" incl	1			
26	Pukar Terivikka Red Reflective	27" x 3" Inch	1			
Total			37			

FHS Force - Trax Full Set Sticker Check List						
S.No	Description Sticker	Size in inch	Qty	Rate Per Unit	GST Per Unit Cost	Total Price Inclusive
	FRONT SIDE STICKER					
1	TN LOGO	18"x18"	1			
2	TN Text	36"x4"	1			
3	Red Strip	42"x6"	1			
4	Free Hearse Services (Tamil) White Reflective	35"x2"	1			
5	Red Strip	48"x4"	3			
LHS & RHS BOTH SIDE						
6	TN LOGO	14"	2			
7	TN Text Blue Reflective	29"x 3"	2			
8	24hr free (155377) LOGO Reflective	28"x 19"	2			
9	Free Hearse Services (Tamil) White Reflecti	47"x3.5"	2			
10	TN Health Plan text Red Reflective	22"x3"	2			
11	EMRI GHS Logo	15"x5"	2			
12	Red Strip	24"x4"	2			
13	Kattanam Selutha Tevaiyillai Red Reflective	24"x2"	2			
14	Pukar Terivikka Red Reflective	24"x2"	2			
15	Red Strip	10"x4"	2			
16	EMRI GHS Full Text white Reflective	47"x3"	2			
READ SIDE STICKER						
17	One way logo print	30"x10	1			
18	Red Strip	48"x4"	1			
19	TN Text Blue Reflective	16"x2"	1			
Total			32			

JSSK FORCE Full Set Sticker Check List

S. NO	Description Sticker	Size in inch	Qty	Rate Per Unit	GST Per Unit Cost	Total Price Inclusive of GST
	FRONT BONNET					
1	TN LOGO	12"	1			
2	Glass Print	62"x6"	1			
3	Vilot Strip	60"x4"	1			
4	Free Drop back service Tamil	39"x3"	1			
	LHS & RHS BOTH SIDE					
5	Vilot Strip	200"X6"	2			
6	NHM LOGO	12"X15"	2			
7	TN LOGO	6"	2			
8	TN Tamil text Reflective	34"X4"	2			
9	Free Drop back service Tamil	58"X4"	2			
10	EMRI GHS LOGO	15"X5"	2			
11	TN Health Plan text	33"X3"	1			
12	102 LOGO Print	24"X16"	2			
13	Pukar Terivikka Red Reflective	12"x3"	2			
14	Kattanam Selutha Tevaiyillai Red Reflective	28"x3"	2			
15	EMRI GHS TEXT	47"X3"	2			
	REAR					
16	TN LOGO	10"	1			
17	Violet strip	59"x6"	1			
18	Free Drop back service Tamil	48"X4"	1			
19	Pukar Terivikka Red Reflective	27"X3"	1			
20	Kattanam Selutha Tevaiyillai Red Reflective	27"x5"	1			
21	EMRI GHS LOGO	15"X5"	1			
22	TN Health Plan text	26"X3"	1			
23	102 LOGO Print	15"X15"	2			
24	TN Tamil text Reflective	20"X3"	1			
25	Baby On board	6"x6"	2			
	Total		37			



JSSK Mahindra Full Set Sticker Check List

S. NO	Description Sticker	Qty	Size in inch	Qty	Rate Per Unit	GST Per Unit Cost	Total Price Inclusive of GST
	Front Side Sticker						
1	Front Glass White Vinyl Print	1 Nos	72"x9"	1			
2	Violet vinal	1 Nos	80"x6"	1			
3	Free drop back service Refeltive	1 Nos	56"x4"	1			
	LH SIDE & RH SIDE						
4	Vilot vinal	2 Nos	164"x6"	2			
5	102 LOGO	2 Nos	19"X19"	2			
6	TN Tarnil text White Reflective	2 Nos	33"x3"	2			
7	Free drop back service	2 Nos	45"x4"	2			
8	TN sugathara thitam	2 Nos	34"x7"	2			
9	NHM LOGO	1 Nos	15"X12"	1			
	REAR SIDE STICKER						
10	Violet vinyl sticker	1 NOS	75"x6"	1			
11	Free drop back service white Reflective	1 Nos	56"x4"	1			
12	Baby & mother one way vision print	1 Nos	67"x29"	1			
13	102 logo	1 NOS	15"x15"	1			
14	baby on board	2 Nos	9"x9"	2			
	LH SIDE & RH SIDE						
15	Vilot vinal	1 Nos	96"x6"	1			
16	TN Govt Logo	2 Nos	15"x14"	2			
17	White Reflective Border 0.5 Inch	1 Nos	48"x15"	1			
18	NHM LOGO	1 Nos	15"X12"	1			
19	Baby & mother one way vision print L	1 Nos	47"x18"	1			
20	Baby & mother one way vision print R	1 Nos	29"x18"	1			
21	EMRI GHS Logo	2 Nos	7"x2.5"	2			
22	EMRI GHS Text	2 Nos	26"x2"	2			
Total				31			